

ELECTRO-CHEMICAL PRODUCTS CORP. -- ECCO 1500 -- 6850-01-088-9074

=====  
Product Identification  
=====

Product ID:ECCO 1500

MSDS Date:01/01/1987

FSC:6850

NIIN:01-088-9074

MSDS Number: BGLJP

=== Responsible Party ===

Company Name:ELECTRO-CHEMICAL PRODUCTS CORP.

Address:89 WALNUT STREET

City:MONTCLAIR

State:NJ

ZIP:07042

Country:US

Info Phone Num:201-746-2633

Emergency Phone Num:201-746-2633

CAGE:694

38

=== Contractor Identification ===

Company Name:ELECTRO-CHEMICAL PRODUCTS CORP

Address:159 PARK AVE

Box:City:RUTHERFORD

State:NJ

ZIP:07070

Country:US

CAGE:69438

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 96.7%

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:STEARAMIDO

PROPYLDIMETHYL-B-HYDROXYETHYL AMMONIUM NITRATE

Fraction by Wt: 3.0%

Other REC Limits:400PPM

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:ACUTE:IRRITANT TO EYES & SKIN;CNS  
DEPRESSANT.MENTAL CONFUSION,DROWSINESS. CHRONIC:DERMATITIS.CNS  
DEPRESSION.

Effects of Overexposure:INH:LOSS OF CO-ORDINATION & EQUILBR. TO ACTUAL  
UNCONSCIOUSNESS(HEADACHE,LASSITUDE);SKIN:DERMATITIS

Med

ical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE  
WORSEN.

=====  
===== First Aid Measures =====

First Aid:INHAL:MOVE TO FRESH AIR, USE ARTIFICIAL RESP. IF BREATHING  
HAS STOPPED;DO NOT ADMINISTER ADRENALIN.;EYE:IRRIGATE  
IMMEDIATELY;SKIN:WASH W/SOAP & WATER; INGEST:USE SALT WATER &  
INDUCE VOMITING; GET MEDI CAL ATTN.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE

Lower Limits:7.

Upper Limits:16.

Extinguishing Media:WATER FOG(NOT CONSIDERED A FLAMM.LIQ.IN NORMAL  
INDUSTR.USE)

Fire Fighting Procedures:SELF-CNTD. BRTHNG.APP.

Unusual Fire/Explosion Hazard:HI-INTENSITY IGNITION SOURCE CAN IGNITE  
VAPORS; COMBUSTION FORMS HCL & POSSIBLE TRACES OF PHOSGENE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR APPROPRIATE PROTECTIVE EQUIPMENT; SMALL  
SPILL: ALLOW TO EVAPORATE TO AIR, MAKING CERTAIN THAT INDIVIDUAL  
ARE NOT EXPOSED TO AI

R QUALITY >TLV. LARGE SPILL: ABSORB  
W/APPROPRIATE MATERIAL & PLACE IN AUTHORIZED CONTAINER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:HANDLE W/REASONABLE CARE. AVOID BREATHING VAPORS. STORE IN A COOL DRY PLACE.  
Other Precautions:OVEREXPOSURE TO MANY CHLORINATED SOLVENTS IF ACCOMPANIED BY ANOXIA,MAY TEMPORARILY INCREASE CARDIAC IRRITABILITY. MAINTAIN ADEQUATE OXYGENATION UNTIL RECOVERY. AVOID SYMPATHOMIMETIC AMINE

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:APPRV.NIOSH/MSHA EQUIP. FOR LEVEL OF EXPOSURE TO INGRED.  
Ventilation:LOCAL/MECHANICAL TO MAINTAIN AIR QUALITY BELOW ESTABLISH TLV  
Protective Gloves:NEOPRENE/VITON  
Eye Protection:SAFETY GLASSES/GOGGLES  
Other Protective Equipment:NEOPRENE APRON  
Supplemental Safety and Health  
MSDS:UNDATED

=====  
Physical/Chemical Properties  
=====

HCC:T4  
Boiling Pt:B.P. Text:165F/73.8C  
Vapor Pressures:100  
Vapor Density:4.55  
Spec Gravity:1.32  
Evaporation Rate & Reference:0.35 (NO REF.GIVEN  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:COLORLESS LIQUID, ETHEREAL ODOR  
Percent Volatiles by Volume:100.

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
CAUSTICS; OXIDIZERS;CHEMICALLY ACTIVE METALS(AL, MG, K, NA)  
Stability Condition to Avoid:MFR SHOWS NONE  
Hazardous Decomposition Products:HCL & TRACES OF PHOSGENE  
Conditions to

Avoid Polymerization:MATERIAL WILL NOT POLYMERIZE

===== Disposal Considerations =====

Waste Disposal Methods:SMALL SPILL: FORCED VENTILATION OR EVAPORATION;  
LARGE SPILL: BRING TO RECLAIMER OR DISPOSE IAW APPROPRIATE LOCAL,  
STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatso  
ever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.