View NSN Online: https://aerobasegroup.co.il/nsn/6810-01-118-2613

FISHER SCIENTIFIC, CHEMICAL DIV. -- POTASSIUM HYDROXIDE 1 N AND 0.1 MEQ,DCA-307 -- 6810-01-118-2613

Product ID: POTASSIUM HYDROXIDE 1 N AND 0.1 MEQ, DCA-307 MSDS Date:02/27/1992 FSC:6810 NIIN:01-118-2613 MSDS Number: BGMNZ === Responsible Party === Company Name: FISHER SCIENTIFIC, CHEMICAL DIV. Address:1 REAGENT LANE **City:FAIR LAWN** State:NJ ZIP:07410 Country:US L nfo Phone Num:201-796-7100 OR 201-796-7523 Emergency Phone Num:201-796-7100/800-424-9300(CHEMTREC) CAGE:1B464 === Contractor Identification === Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV Address:1 REAGENT LANE Box:City:FAIRLAWN State:NJ ZIP:07410-2802 Country:US Phone:201-796-7100 CAGE:1B464 Company Name: GERIN CORP Address:1109 SEVENTH AVE Box:City:NEPTUNE State:NJ ZIP:07753-5143 Country:US Phone:908-774-3256 CAGE:96009

======= Composition/Information on Ingredients ========

===

Ingred Name:POTASSIUM HYDROXIDE (SARA III) CAS:1310-58-3 RTECS #:TT2100000 Fraction by Wt: 0.1-5.8% Other REC Limits:NONE RECOMMENDED OSHA PEL:C, 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: BALANCE Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 ORAL RAT IS 273 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingesti on:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE- MAY CAUSE SEVERE BURNS ON CONTACT WITH ANY BODY TISSUE. DEEP ULCERATION MAY RESULT. CAN DAMAGE EYES SEVERELY RESULTING IN BLINDNESS. BREATHING MISTS/FUMES IS HIGHLY CORROSIVE & MAY CAUSE PULMON ARY EDEMA. ORAL:BURNS, ULCERATION, PAIN.CHRONIC- MAY CAUSE INFLAMMATION, ULCERATION, GI DISTURBANCES & DERMATITIS.

Effects of Overexposure:INHALATION OF VAPORS OR MISTS MAY CAUSE RES

PIRATORY TRACT IRRITATION, COUGHING, CHEST PAIN, TIGHTNESS IN CHEST, FROTHY SPUTUM, CYANOSIS. INGESTION CAN BURN MOUTH, THROAT, STOMACH. CONTACT WITH EYES CA N CAUSE SEVERE IRRITATION, PAIN, BURNS.SKIN CONTACT MAY CAUSE SEVERE IRRITATION, ULCERATION AND BURNS.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND EYE DISORDERS MAY BE MORE SUSCEPTIBLE TO THIS MATERIAL.

First Aid:GET MEDICAL ATTENTION IM

MEDIATELY. EYE/SKIN: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. INHALED: REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL: IF CONSCIOUS, DRIN K WATER/MILK. INDUCE VOMITING. AVOID GASTRIC LAVAGE/EMETICS. CALL A PHYSICIAN IMMEDIATELY.
======================================
 Flash Point:NONE Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXP OSED CONTAINERS. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A SELF CONTAINED BREATHING APPARATUS IF NEEDED. Unusual Fire/Explosion Hazard:NEGLIGIBLE FIRE HAZARD WHEN EXPOSED TO HEAT OR FLAME.
======================================
Spill Release Procedures:DO NOT TOUCH SPILLED MATERIAL. TAKE UP WITH SAND OR OTHER ADSORBENT MATERIAL AND PLACE INTO CONTAINERS FOR LATER DISPOSAL. Neutralizing Agent:WEAK ACID
======================================
 Handling and Storage Precautions:STORE IN CLOSED CONTAINER AWAY FROM INCOMPATIBLE MATERIALS. Other Precautions:CAUTION. CORROSIVE. DO NOT BREATHE MISTS/VAPOR. KEEP AWAY FROM ACIDS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. KEEP AWAY FROM REACH OF CHILDREN.
======================================
Respiratory Protection:NIOSH APPROVED SUPPLIED AIR RESPIRATOR OR SELF-CONTAINED BREATHING APPARATUS MAY BE WORN IF NEEDED. Ventilation:ADEQUATE Protective Gloves:NITRILE, PLASTIC Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS Other Protective Equipment:IMPERVIOUS PROTECTIVE CLOTHING SHOULD BE WORN TO PREVENT SKIN CONTACT.EYE WASH AND SAFETY EQUIPMENT SHOULD
BE AVAILABLE. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

HCC:B1 Boiling Pt:B

Stability Indicator/Materials to Avoid:YES ACIDS, ALCOHOLS, HALOGENATED HYDROCARBONS, METALS, PHOSPHORUS, POTASSIUM PERMANGANATE, SUGAR, WATER,POTASSIUM PERSULFATE Stability Condition to Avoid:EXCES SIVE HEAT Hazardous Decomposition Products:MAY FORM CORROSIVE FUMES OF POTASSIUM OXIDE.

Waste Disposal Methods:WASTE DISPOSAL TO BE PERFORMED IN COMPLIANCE WITH ALL CURRENT LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.