

EZE PRODUCTS, INC -- EZE 458 -- 6850-01-235-0873

=====
===== Product Identification =====

Product ID:EZE 458
MSDS Date:07/10/1991
FSC:6850
NIIN:01-235-0873
MSDS Number: BGRCS
=== Responsible Party ===
Company Name:EZE PRODUCTS, INC
Address:603 HIGH TECH CT
Box:5744
City:GREER
State:SC
ZIP:29606
Country:US
Info Phone Num:803-879-7100
Emergency Phone Num:803-879-7100 OR 404-842-1530
CAGE:8Z357
=== Contra
ctor Identification ===
Company Name:EZE PRODUCTS, INC
Address:603 HIGH TECH CT
Box:5744
City:GREENVILLE
State:SC
ZIP:29606
Country:US
Phone:803-242-1002 OR 803-879-7100
CAGE:8Z357

=====
===== Composition/Information on Ingredients =====

Ingred Name:BLEND OF MINERAL SPIRITS
CAS:8030-30-6
RTECS #:DE3030000
Fraction by Wt: 20 - 40%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:200 PPM (MFR)

Ingred Name:2-BUTOXYETHANOL
CAS:111-76-2
RTECS #:KJ8575000
Fraction by Wt: 1 - 7%
Other REC Limit

s:NONE SPECIFIED
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9293

Ingred Name:HEXYLENE GLYCOL
CAS:107-41-5
RTECS #:SA0810000
Fraction by Wt: 1 - 7%
Other REC Limits:NONE SPECIFIED
OSHA PEL:C 25 PPM
ACGIH TLV:C 25 PPM; 9192

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: BALANCE

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and
Chronic:MAY BE IRRITATING TO BODY TISSUES. NO
CHRONIC EFFECTS ARE EXPECTED AT INDUSTRIAL USE LEVELS IF GOOD
PERSONAL HYGIENE IS PRACTICED.
Explanation of Carcinogenicity:DATA PER MGF MSDS.
Effects of Overexposure:EYE:IRRITATION, BURNING. SKIN:IRRITATION,
BURNING FROM PROLONGED CONTACT. (NOTHING FROM BRIEF CONTACT.)
INHALED:RESPIRATORY IRRITATION,HEADACHE, DIZZINESS, NAUSEA.
INGESTED:G/I IRRITATION, NAUSEA, VOMITING, DIARRHEA.
Medical Cond Aggravated by Exposure:NONE SPECI
FIED BY MANUFACTURER.

=====
===== First Aid Measures =====
=====

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH SOAP
& WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDRER BEFORE REUSE.
INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY.
INGESTED:DO NOT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR
WATER AND GET IMMEDIATE MEDICAL CARE. DOCTOR TO ORDER VOMITING.
NOTHING BY MOUTH IF UNCONSCIOUS. IF IRRITATION PERSISTS OR I

S

SEVERE,SEE A DOCTOR.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC

Flash Point:NONE

Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:ALTHOUGH THIS MATERIAL IS NOT FLAMMABLE IN THE AQUEOUS STATE, IT WILL BURN AFTER THE WATER IS REMOVED.

=====
Accidental Release Measures
=====

Spill Release Procedures:CONTAIN THE SPILL. ELIMINATE ANY IGNITION SOURCE. ABSORB SMALL SPILLS WITH SAND, DIRT OR CLAY. LARGE SPILLS MAY BE PUMPED INTO CONTAINERS FOR RECOVERY OR DISPOSAL.

Neutralizing Agent:NOT APPLICABLE.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL PLACE. KEEP CONTAINERS TIGHTLY CLOSED.

Other P

recautions:WEAR EYE PROTECTION. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH-APPROVED DUST MASK IF WORKING WITH MIST.

Ventilation:ADEQUATE

Protective Gloves:RUBBER OR NEOPRENE

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. PROTECTIVE CLOTHING.

Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVO

ID

UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:>1

Vapor Density:>1

Spec Gravity:0.98

pH:9.5

Solubility in Water:FORMS AN EMULSION

Appearance and Odor:OPAQUE VISCOUS LIQUID, SOLVENT ODOR

Percent Volatiles by Volume:24.2

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avo

id:YES

STRONG OXIDIZING OR REDUCING AGENTS

Stability Condition to Avoid:TEMPERATURE EXTREMES

Hazardous Decomposition Products:OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS. CONTAMINATED ABSORBENT MAY BE DEPOSITED IN A LANDFILL OR WASTE MAY BE INCINERATED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.