

DRESSER INDUSTRIES INC.,HARBISON-WALKER REFRACTORY -- ANCHOR DASH MIX 248 CN --
9350-00-889-5808

===== Product Identification =====

Product ID:ANCHOR DASH MIX 248 CN

MSDS Date:01/01/1987

FSC:9350

NIIN:00-889-5808

MSDS Number: BGSTR

=== Responsible Party ===

Company Name:DRESSER INDUSTRIES INC.,HARBISON-WALKER REFRACTORY

Address:2 GATEWAY CENTER

City:PITTSBURGH

State:PA

ZIP:15222

Country:US

Info P

Phone Num:412-562-6200

CAGE:73064

=== Contractor Identification ===

Company Name:DRESSER INDUSTRIES INC

Address:ONE GATEWAY CENTER

Box:City:PITTSBURGH

State:PA

ZIP:15222-1416

Country:US

Phone:412-367-3444

CAGE:73064

===== Composition/Information on Ingredients =====

Ingred Name:SILICA, CRYSTALLINE - CRISTOBALITE

CAS:14464-46-1

RTECS #:VV7325000

Fraction by Wt: 2.- 5%.

OSHA PEL:SEE TABLE Z3

ACGIH TLV:0.05 MG/M3 RDUST9293

Ingred Name:MFR DESCRIBES ITEM AS A: HIGH ALUMINA BRICK

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE CITED.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYE & RESPIRATORY IRRITANT;
CHRONIC:DELAYED LUNG FIBROSIS-SILICOSIS UPON PROLONGED EXPOSURE.
Effects of Overexposure:EYE & INHAL:IRRITANT; REDNESS & TEARING OF
EYES. COUGHING.
Medical Cond Aggravated by Exposure:PRE-EXISTING
RESPIRATORY
CONDITIONS.

=====
===== First Aid Measures =====

First Aid:MFR CITES NONE; EYES: FLUSH FROM EYES USING COPIOUS AMOUNTS
OF WATER; INHAL: REMOVE TO FRESH AIR. .

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:NONE-PRODUCT IS A REFRACTORY.
Fire Fighting Procedures:NONE NOTED. PRODUCT IS A REFRACTORY.
Unusual Fire/Explosion Hazard:NONE NOTED. PRODUCT IS A REFRACTORY.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP & PLACE IN APPROVED CONTAINER
MINIMIZE DUST FORMATION & FOLLOW ESTABLISHED ENVIRONMENTAL
PROCEDURES FOR COLLECTING SPILLED MATERIAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:MFR CITES NONE.
Other Precautions:MFR CITES NONE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:APPROVED DUST TYPE RESPIRATOR

Ventilation:LOCAL EXHAUST SHOULD BE PROVIDED IF ROUTINE OPERATION GENERATES DUST IN EXCESS OF ALLOWABLE LIMITS.

Protective Gloves:ABRASION RESISTANT TYPE RECOMMENDED.

Eye Protection:SAFETY GLASSES,GOGGLES OR FACESHIELD.

Other Protective Equipment:METATARSAL SAFETY PROTECTION.

Work Hygienic Practices:FOLLOW ESTABLISHED INDUSTRIAL HYGIENE PRACTICES SET FORTH FOR THE PROPER USE OF THIS MATERIAL.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:N1

Spec Gravity:2.28

Solubility in Water:INSOLUBLE

Appearance and Odor:LIGHT ORANGE COLOR;NO ODOR.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

NONE CITED.

Stability Condition to Avoid:NONE CITED.

Hazardous Decomposition Products:NONE CITED.

=====
Disposal Considerations
=====

Waste Disposal Methods:MOST REFACTORY PRODUCTS MAY BE LANDFILLED.

HOWEVER, SINCE YOUR APPLICATION OF THIS PRODUCT MAY CHANGE ITS

CHEMICAL CHARACTERISTICS, & SINCE DISPOSAL PROCEDURES MAY VARY W/ LOCALE & ARE SUBJECT TO CHANGE, CONSULT GOVERNMENTAL AUTHORITY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing

this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.