View NSN Online: https://aerobasegroup.com/nsn/3439-00-262-2655

HOBART BROTHERS COMPANY -- HOBART 335A 3/16X14 IN AWS A5.1 -- 3439-00-262-2655

Product ID:HOBART 335A 3/16X14 IN AWS A5.1

MSDS Date:08/01/1985

FSC:3439

NIIN:00-262-2655

MSDS Number: BGTNT === Responsible Party ===

Company Name: HOBART BROTHERS COMPANY

Address:600 W. MAIN STREET

City:TROY State:OH ZIP:45373

Info Phone Num:513-339-6000 Emergency Phone Num:513-339-6

000

CAGE:28835

=== Contractor Identification ===

Company Name: HOBART BROTHERS CO Address: 600 W MAIN ST HOBART SQUARE

Box:City:TROY

State:OH ZIP:45373 Country:US

Phone:513-339-6000

CAGE:28835

======= Composition/Information on Ingredients ========

Ingred Name:IRON CAS:7439-89-6

RTECS #:NO4565500 Other REC Limits:NONE

OSHA PEL:10MG/M*3(DUST,FUME) ACGIH TLV:5MG/M*3(DUST,FUME)

Ingred Name: MANGANESE (SARA III)

CAS:7439-96-5

RTECS #:OO9275000 Other REC Limits:NONE OSHA PEL:(C) 5 MG/M3 DUST ACGIH TLV:5 MG/M3 DUST 9293

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:XR2275000 Other REC Limits:NONE

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name: MAGNESIUM OXIDE

CAS:1309-48-4

RTECS #:OM3850000 Other REC Limits:NONE

OSHA PEL:15 MG/M3 PARTICULATE ACGIH TLV:10 MG/M3;TDUST; 9293

Ingred Name:POTASSIUM SILICATE

CAS:1312-76-1

Other REC Limits:NONE

Ingred Name: SODIUM SILICATE

CAS:1344-09-8

Other REC Limits:NONE

ACGIH TLV:NOT ESTABLSHED

Hazards Identification =========

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:METALLIC TASTE,NAUSEA,TIGHTNESS OF CHEST,FEVER,DIZZINESS,DRYNESS,IRRITATION OF EYES,NOSE,THROAT. CHRONIC:EXCESSIVE LEVELS MAY CAUSE BRONCHIAL ASTHMA,LUNG FIBROSIS,PNEUMOCONIOSIS. ARC RAYS CAN IN JURE EYES & BURN SKIN.

ELECTRIC SHOCK CAN KILL.

Effects of Overexposure:SEE HEALTH HAZARDS.

Med

ical Cond Aggravated by Exposure:AGGRAVATION OF EXISTING RESPIRATORY OR ALLERGIC CONDITIONS.HIGHER LEVEL OF LUNG RELATED PROBLEMS AMONG SMOKERS.

First Aid:REMOVE FROM EXPOSURE AND OBTAIN PROMPT MEDICAL ATTENTION. IF NOT BREATHING, GIVE CPR. IF UNCONSCIOUS, GIVE OXYGEN. EMPLOY FIRST AID TECHNIQUES RECOMMENDED BY AMERICAN RED CROSS.

========= Fire Fighting Measures ===============

Extinguishin

g Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Unusual Fire/Explosion Hazard:WELDING ARCS AND SPARKS CAN IGNITE COMBUSTIBLE PRODUCTS.
======== Accidental Release Measures ==========
Spill Release Procedures:CLEAN UP ANY GRINDING DUST OR WASTE RESIDUE AND PLACE IN APPROPRIATE DOT APPROVED DISPOSAL CONTAINER.
============ Handling and Storage ==============
Other Precautions:TRAIN WELDER TO KEEP HIS HEAD OUT OF THE FUMES. MONITOR AIR TO E
NSURE ACCEPTABLE EXPOSURES. AVOID ELECTRICAL SHOCK BY MAINTAINING DRY WORK AREA.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:FUME RESPIRATOR OR AIR SUPPLIED RESPIRATOR IN CONFINED SPACES OR WHERE VENTILATION DOES NOT KEEP EXPOSURE BELOW TLV.
Ventilation:LOCAL EXHAUST TO MAINTAIN BELOW TLV.
Protective Gloves:WELDER'S GLOVES. Eye Protection:HELMET OR FACE SHIELD WITH FILTER LENS.
Other Protective Equipment:SUBSTANTIAL DARK CLOTH,ARM
PROTECTOR,APRON,HAT,SHOULDER PROTECTION. Work Hygienic Practices:WASH HANDS THOROUGHLY BEFORE EATING,SMOKING,USING SANITARY FACILITIES. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:N1 Solubility in Water:INSOLUBLE Appearance and Odor:WELDING ROD.NO ODOR.3/16 INCH DIAMETER BY 14 INCHES LONG.
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Hazardous Decompositi

on Products:FUMES OF METALS AND METAL OXIDES,CO,NO*2,O*3.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF FUMES,FLUX OR WELD GRINDING RESIDUE FROM THE WORK AREA OR FROM FILTERS IAW APPLICABLE FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner what soever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.