

X-ERGON PARTSMaster CO., DIV OF NCH -- INSTANT ADHESIVE SUPER GLUE --
8040-00-142-9193

=====
===== Product Identification =====

Product ID:INSTANT ADHESIVE SUPER GLUE

MSDS Date:05/20/1988

FSC:8040

NIIN:00-142-9193

MSDS Number: BGZYJ

=== Responsible Party ===

Company Name:X-ERGON PARTSMaster CO., DIV OF NCH

Box:152170

City:IRVING

State:TX

ZIP:75015

Info Phone Num:(214) 438-4910

Emergency Phone Num:(214)

438-4910

Preparer's Name:RICHARD STOLLEY

CAGE:JO640

=== Contractor Identification ===

Company Name:X-ERGON A PARTSMasters CO DIV NCH CORP

Box:152170

City:IRVING

State:TX

ZIP:75015

Country:US

Phone:972-438-1381

CAGE:55649

Company Name:X-ERGON PARTSMaster DIV OF NCH CORP

Box:152170

City:IRVING

State:TX

ZIP:75015

Country:US

Phone:972-438-1381

CAGE:JO640

=====
===== Composition/Information on Ingredients =====

Ingred Name:POLYMETHYLMETHACRYLATE

CAS:9011-14-7

RTECS #:TR0400000

Ingred

Name:ETHYL-2-CYANOACRYLATE

CAS:7085-85-0

ACGIH TLV:2 PPM 1.

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL-RAT LD50: >5000 MG/KG

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: IRRITATION, DERMATITIS/ADHESION.

IF INTRODUCED INTO EYES, WEEPING WILL OCCUR & POSSIBLE DOUBLE VISION. A LARGE DROP MAY CAUSE THERMAL BURNS.

Explanation of Carcinogenicity

:NONE

Effects of Overexposure:SKIN IRRITATION, DERMATITIS & ADHESION LENDING

ITSELF TO LOSS OF TISSUE. EYES: WEEPING WILL OCCUR & POSSIBLE DOUBLE VISION. A LARGE DROP MAY CAUSE THERMAL BURNS.

===== First Aid Measures =====

First Aid:INHALATION: SEEK FRESH AIR. SKIN: IMMERSSE BONDED SURFACE IN WARM SOAPY WATER/PEEL & ROLL SURFACE W/BLUNT EDGE. INGESTION: DON'T GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. IF LIPS ARE STUCK TOGETHER APPLY

WARM WATER ENCOURAGE MAXIMUM WETTING & PRESSURE

FROM SALIVA INSIDE MOUTH/SEEK MED ATT. EYE: WASH THOROUGHLY W/WARM WATER & APPLY GAUZE PATCH. EYE WILL OPEN IN 4 DAYS. SURGERY UNNECESSARY.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:>200F

Extinguishing Media:FOAM, CO2, & DRY CHEMICAL.

===== Accidental Release Measures =====

Spill Release Procedures:FLOOD W/WATER TO POLYMERIZE. SOAK UP W/INERT ABSORBANT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE 300F

Vapor Pres: