View NSN Online: https://aerobasegroup.com/nsn/8010-00-242-6318

PRATT & LAMBERT INC. -- LACQUER C/N GLOSS 21 BLUE 15044 ID786504 -- 8010-00-242-6318

======== Product Identification ============

Product ID:LACQUER C/N GLOSS 21 BLUE 15044 ID786504

MSDS Date:12/15/1988

FSC:8010

NIIN:00-242-6318

MSDS Number: BHBWP === Responsible Party ===

Company Name: PRATT & LAMBERT INC.

Address:16116 E 13TH ST

Box:2153 City:WICHITA State:KS

ZIP:67201 Country:US

Preparer's Name: W.A. ELLI

SON

**CAGE:PRATT** 

=== Contractor Identification ===
Company Name:PRATT & LAMBERT

Address:250 PETTIT AVE

Box:2153

City:BELLMORE

State:NY ZIP:11710 Country:US

Phone:800-647-2253

**CAGE:PRATT** 

Company Name: PRATT AND LAMBERT INC

Address:Box:6027 City:CLEVELAND

State:OH

ZIP:44101-1027 Country:US

Phone:216-566-2902

CAGE:61196

====== Composition/Information on Ingredients ========

Ingred Name: ISOBUTYL ACETATE (SARA III)

CAS:110-19-0

RTECS #:AI4025000 OSHA PEL:150 PPM

ACGIH TLV:150 PPM; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: NITROCELLULOSE

CAS:9004-70-0

RTECS #:QW0970000

OSHA PEL:NONE ESTABLISHED ACGIH TLV:NONE ESTABLISHED

Ingred Name: ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name: PETROLEUM DISTILLATES (NAPHTHA OR RUBBER SOLVENT)

CAS:8002-05-9

RTECS #:

SE7449000

OSHA PEL:400 PPM

ACGIH TLV:400 PPM; 8990

Ingred Name:DI-SEC-OCTYL PHTHALATE (DI-2-ETHYLHEXYL-PHTHALATE) (SARA

III)

CAS:117-81-7

RTECS #:TI0350000

OSHA PEL:5 MG/M3/10 STEL ACGIH TLV:5 MG/M3; 9192

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name: NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:DE3030000 OSHA PEL:100 PPM

Ingred Name: VOL ORGANIC CMPD 5.3 LB/GL LESS WATER & NPRS\* 600 G/L LESS

WATER VOC 24.8 LB/GAL SOLIDS 2976 G/L SOLIDS CALCULATED


RTECS #:9999999VO

========== Hazards Identification ===========
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:SWALLOWING/GASTROINTESTINAL IRRITATION,NAUSEA,VOMITING. INHALATION/MAY CAUSE NOSE,THROAT IRRIT. HIGH CONCENTRATIONS MAY CAUSE ACUTE CENTRAL NERVOUS SYSTEM DEPRESSION. EYE/IRRITATION. SKIN/MAY CAUSE DE FATTING, IRRITATION OF THE SKIN.
Explanation of Carcinogenicity:DI(2-ETHYLHEXYL) PHTHALATE IS LISTED AS A POTENTIAL CAR CINOGEN BY THE NATURAL TOXICOLOGY PROGRAM.
Effects of Overexposure:PROLONGED AND REPEATED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. DELIBERATE CONCENTRATION AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.
======================================
First Aid:SWALLOWING/DO NOT INDUCE VOMITING. GET MED ATTN. INHALATION/GET FRESH AIR IMMED.IF BREATHING HAS STOPPED,GIVE ARTIFICIAL RESPIRATION.GET MED ATTN. EYE/FLUSH WITH LG AMT OF WATER FOR 15 MIN. GET MED AT TN. SKIN/FLUSH THE CONTAMINATED AREA W/LG AMT OF WATER. REMOVE CONTAMINATED CLOTHING. CONSULT A DR. NOTE TO DR. ANY TREATMENT FOR OVEREXP S/B DIRECTED AT THE CONTROL OF SYMPTOMS & CLINICAL CONDITIONS.
======================================
Flash Point:20F/-6.67C Extinguishing Media:USE NFPA CLASS B FIRE EXTINGUISHERS. POLYMER FOAM IS PREFERRED FOR LARGE FIRES. Fire Fighting Procedures:WEAR S
ELF-CONTAINED BREATHING APPARATUS. WATER  MAY BE INEFFECTIVE BUT CAN BE USED TO COOL EXPOSED CONTAINERS. IF  WATER IS USED, FOG NOZZLES ARE PREFERABLE.

Unusual Fire/Explosion Hazard:OVEREXPOSURE TO DECOMPOSITION PROD MAY CAUSE HEALTH HAZARD. SYMPTOMS MAY NOT BE IMMED APPARENT. OBTAIN MEDICAL ATTN. WARNING:FLAMMABLE.

======== Accidental Release Measures ==========

Spill Release Procedures:ELIM ALL IGNITION SOURCES. DIKE & CONTAIN SPILL WITH INERT MATERIAL.



== Disposal Considerations =========

Waste Disposal Methods:INCINERATE ONLY IN EPA PERMITTED FACILITY.DO NOT INCINERATE CLOSED CONTAINERS. OBSERVE PRECAUTIONS FOR DISPOSAL OF FLAMMABLE MATERIALS. DISPOSE IAW FEDERAL,STATE AND LOCAL LAWS/REGULATIONS. RCRA CLASS IFICATION D001.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manne r whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.