View NSN Online: https://aerobasegroup.co.il/nsn/6810-00-838-5932

FISHER SCIENTIFIC CHEMICAL DIVISION -- 1,2-DICHLOROETHANE -- 6810-00-838-5932

Product ID:1,2-DICHLOROETHANE

MSDS Date:04/22/1989

FSC:6810

NIIN:00-838-5932

MSDS Number: BHCNV === Responsible Party ===

Company Name: FISHER SCIENTIFIC CHEMICAL DIVISION

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ ZIP:07410

Info Phone Num:201-796-7100 Emergency Phone Num:201-796-

7523

Preparer's Name: GASTON L. PILLORI

CAGE:1B464

=== Contractor Identification ===

Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address: 1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802 Country:US

Phone:201-796-7100

CAGE:1B464

======= Composition/Information on Ingredients ========

Ingred Name: ETHYLENE DICHLORIDE (SARA III)

CAS:107-06-2

RTECS #:KI0525000 Fraction by Wt: 100%

OSHA PEL:50 PPM/C,100PPM ACGIH TLV:10 PPM; 9293 EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

=

======== Hazards Identification ===============

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 670 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALE- IRRITATION OF UPPER RESPIRATORY TRACT, HEADACE, NAUSEA, VOMITING. SKIN- IRRITATION, CYANOSIS, HYPOTENSION, DIZZINESS. EYE- DISCOMFORT, CORNEAL INJURY. INGEST- HYPOTENSION, CYANOSIS, NAU SEA. CHRONIC: INHALE-

NEUROLOGICAL CHANGES, LIVER AND KIDNEY DAMAGE. SKIN- SEVERE IRRITATION. EYE- CONJUNCTIVITIS.

Explanation of Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY OSHA AS A CARCINOGEN.

Effects of Overexposure:SEE HEALTH HAZARDS AND MSDS. ETHYLENE DICHLORIDE IS AN EYE, SKIN, AND MUCOUS MEMBRANE IRRITANT AND A CENTRAL NERVOUS SYSTEM DEPRESSANT. POISONING MAY AFFECT THE LIVER, KIDNEYS, HEART, AND ADRENAL GLAN DS. THE USE OF ALCOHOLIC BEVERAGES MAY ENHANCE THE T

OXIC EFFECTS.

Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR. IF BREATHING STOPPED, GIVE ARTIFICIAL RESPIRATION. EYE: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WA TER. REMOVE CONTAMINATED CLOTHING. INGESTION: GET

MMEDIATE MEDICAL ATTENTION. IF MEDICAL ATTENTION IS NOT AVAILABLE, INDUCE VOMITING BY TOUCHING FINGER TO BACK OF THROAT.


Flash Point Method:CC Flash Point:56.0F,13.3C

Autoignition Temp: Autoignition Temp Text: 775F

Lower Limits:6.2 Upper Limits:16.0

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, HALON, WATER SPRAY OR STANDARD FOAM

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTEC



HCC:F2

Boiling Pt:=83.9C, 183.F Melt/Freeze Pt:=-35.6C, -32.F

Vapor Pres:87 Vapor Density:3.35 Spec Gravity:1.256 Evaporation Ra

CLOROFORM-LIKE ODOR AND SWEET TASTE.
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES ALUMINUM, AMMONIA, CAUSTICS, DIMETHYLAMINOPROPYAMINE, DINITROGEN TETROXIDE, NITRIC ACID, OXIDIZERS, POTASSIUM. Stability Condition to Avoid:ABNORMAL TEMPERATURES AND PRESSURES. Hazardous Decomposition Products:H IGHLY TOXIC FUMES OF PHOSGENE, TOXIC AND CORROSIVE FUMES OF CHLORIDES, AND OXIDES OF CARBON.
======== Disposal Considerations ===========

Appearance and Odor: CLEAR, COLORLESS, OILY LIQUID W/ PLEASANT

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, ex

te & TETRACHLO=1)

Solubility in Water: 0.8%

pressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.