

PACKAGING SERVICE CO., INC. -- RAW LINDSEED OIL -- 8010-00-656-1639

=====
Product Identification
=====

Product ID:RAW LINDSEED OIL

MSDS Date:01/01/1987

FSC:8010

NIIN:00-656-1639

MSDS Number: BHDRW

=== Responsible Party ===

Company Name:PACKAGING SERVICE CO., INC.

Address:4704 SHANK ROAD

Box:875

City:PEARLAND

State:TX

ZIP:77581

Country:US

Info Phone Num:(713) 485-1457

Emergency Phone Num:(713) 485
-1457

CAGE:9V846

=== Contractor Identification ===

Company Name:PACKAGING SERVICES INC

Address:472 SHANK RD

Box:875

City:PEARLAND

State:TX

ZIP:77581

Country:US

Phone:713-485-1457

CAGE:9V846

=====
Composition/Information on Ingredients
=====

Ingred Name:RAW LINSEED OIL

(NO EXPOSURE LIMITS ESTABLISHED, NOT HAZARDOUS UNDER OSHA

CAS:67746-08-1

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:

YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:POSSIBLY A MILD IRRITANT TO SKIN

Effects of Overexposure:SKIN IRRITATION DEVELOPS SLOWLY AFTER CONTACT,
EYE IRRITATION DEVELOPS IMMEDIAT-LY UPON CONTACT

=====
===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL
ATTENTION. FLUSH EYES WITH WATR FOR 15 MIN. GET MED. ADVICE. WASH
SKIN WITH WATER AND SOAP. GET MED. ADVIC
E, IF SYMPTOMS DEVELOP AND
PERSIST

=====
===== Fire Fighting Measures =====

Flash Point:>200 F 88.89 C

Extinguishing Media:WATER FOG OR SPRAY, FOAM, DRY POWDER, CARBON
DIOXIDE (CO2)

Fire Fighting Procedures:APPROACH FROM UPWIND SIDE. AVOID BREATHING
SMOKE, FUMES, MIST OR VAPORS. WATER MAY CAUSE FROTH IF DIRECTED
INTO CONTAINER OF BURNING LIQUID USE PROTECTIVE CLOTH

Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE FROM INTERNAL
PRESSURE IF CON

FINED TO FIRE AREA. COOL WITH WATER. GET
NON-ESSENTIAL PEOPLE OUT OF THE AREA

=====
===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILLS, PICK UP WITH ABSORBENT MEDIA.
STORE AS INDUSTRIAL WASTE

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM OXIDIZERS OR MATERIALS
BEARING A YELLOW "DOT" LABEL

=====
===== Exposure Controls/Personal Protection =====

Resp

iratory Protection:NOT NORMALLY NEEDED

Ventilation:LOCAL EXHAUST, DESIRED AND MECHANICAL DESIRED

Protective Gloves:NEOPRENE RUBBER TYPE RECOMMENDED

Eye Protection:CHEMICAL GOGGLES OR FULL FACE SHIELD

Other Protective Equipment:NOT NORMALLY NEEDED

Work Hygienic Practices:AVOID CONTACT WITH SKIN, EYES, & CLOTHING.

AFTER HANDLING, WASH BEFORE EATING, DRINKING, OR SMOKING.

Supplemental Safety and Health

IF CONTACT OCCURS, REMOVE CONTAMINATED CLOTHING. IF NEEDED, TAKE FIRST AID ACT- TION. LA

UNDER CONTAMINATED CLOTHING BEFORE REUSE.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:ND

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:0.92

Evaporation Rate & Reference:NA

Solubility in Water:INSOLUBLE

Appearance and Odor:CLEAR YELLOW LIQUID WITH DISTINCT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS OR OXIDIZING MATERIALS

Hazardous De

composition Products:SMOKE, CARBON DIOXIDE, CARBON MONOXIDE, POSSIBLY ACROLEIN

===== Disposal Considerations =====

Waste Disposal Methods:EPA APPROVED INDUSTRIAL WASTE DISPOSAL SITE. FOLLOW APPLICABLE LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

e

xpressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.