

INDUSTRIAL FLOOR FINISHES -- LIQUID POLISH -- 7930-00-721-8873

===== Product Identification =====

Product ID:LIQUID POLISH

MSDS Date:05/01/1987

FSC:7930

NIIN:00-721-8873

MSDS Number: BHDTF

=== Responsible Party ===

Company Name:INDUSTRIAL FLOOR FINISHES

Address:605 SPRING STREET

City:BEDFORD

State:MA

ZIP:01730

Country:US

Emergency Phone Num:(617) 667-5161

Preparer's Name:T. PITROL FFYO

CAGE:IND

US

=== Contractor Identification ===

Company Name:INDUSTRIAL FLOOR FINISHES

Address:605 SPRINGS RD

City:BEDFORD

State:MA

ZIP:01730

Country:US

Phone:1-617-667-5161

CAGE:INDUS

Company Name:PEMATEX INDUSTRIAL CORPORATION

Address:30 TOWER LANE, AVON PARK SOUTH

Box:City:AVON

State:CT

ZIP:06001

CAGE:PERMA

===== Composition/Information on Ingredients =====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8924000

Fraction by Wt: 17%

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9293

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRIMARY EYE/SKIN IRRITANT WITH
CONTACT. INHALATION: HEADACHE, DIZZINESS & NAUSEACHRONIC: NOT
SUFFICIENT DATA, EXERCISE CARE, DO NOT USE ABOVE TLV
Effects of Overexposure:NK
PRIMARY EYE/SKIN IRRITANT WITH
CONTACT. INHALATION: HEADACHE, DIZZINGESS & NAUSEA CHRON
IC: NOT
SUFFICIENT DATA, EXERCISE CARE, DO NOT USE ABOVE TLV

=====
First Aid Measures
=====

First Aid:EYE CONTACT: FLUSH WITH WATER, SKIN: WASH WITH SOAP & WATER,
APPLY SKIN CREAM. INHALATION: REMOVE TO FRESH AIR, RESTORE
BREATHING, CALL PHYSICIAN. INGESTION: DRINK WATER OR MILK, DO NOT
INDUCE VOMIT ING. CALL POISON CONTROL

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:MIN 104F
40.00C
Lower Limits:0.8
Upper Limits:6.0
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG
Fire Fighting Procedures:WATER MAY BE USED TO COOL CONTAINERS TO
PREVENT PRESSURE BUILD-UP OR AUTO-IGNI- TION
Unusual Fire/Explosion Hazard:ISOLATE FROM HEAT, CLOSED CONTAINERS MAY
EXPLODE IF EXPOSED TO EXTREME HEAT

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE SOURCES OF IGNITION, SPRINKLE WITH
ABSORB- ENT. FOG WITH WATER FLUSH/SCRAP
E INTO RETAINING
AREA/CONTAINER. INCREASE VENTILATION AVOID BREATH-ING VAPORS.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS & OPEN
FLAME, USE AD- EQUATE VENTILATION AVOID PROLONGED/REPEATED CON-
TACT KEEP CONTAINER CLOSED
Other Precautions:KEEP AWAY FROM CHILDREN
AVOID STATIC BUILD UP

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:S

ELF CONTAINED BREATHING APPARATUS FOR
CONCENTRATIONS ABOVE TLV

Ventilation:LOCAL: YES, MECHANICAL: EXHAUST FROM LOWER LEVELS

Protective Gloves:USE RUBBER GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE BATH, SAFETY SHOWER, PROTECTIVE CREAM

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:215

Vapor Pres:2

Vapor Density:3.8

Spec Gravity:1.1

Evaporation Rate & Reference:0.8 WATER

Solubility in

Water:PARTIAL

Appearance and Odor:GREEN CREAMY LIQUID

Percent Volatiles by Volume:74

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME AND FIRE

Hazardous Decomposition Products:THERMAL DECOMPOSTION PRODUCES FUMES
MAY YIELD CARBON MON- OXIDE

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE OF I

N ACCORDANCE WITH

LOCAL STATE & FEDERAL REGULATIONS. EMPTY CONTAINERS MAY RETAIN
FUMES. DO NOT EXPOSE TO HEAT OR FLAME

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek compete

nt professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.