View NSN Online: https://aerobasegroup.co.il/nsn/8010-01-268-7584

INTERNATIONAL PAINT (USA) INC. -- INTERGARD HS UNIV RED FPL274 PART A -- 8010-01-268-7584

Product ID:INTERGARD HS UNIV RED FPL274 PART A

MSDS Date:08/15/1989

FSC:8010

NIIN:01-268-7584

MSDS Number: BHGCC === Responsible Party ===

Company Name: INTERNATIONAL PAINT (USA) INC.

Box:386 City:UNION State:NJ ZIP:07083 Country:US

Info Phone Num:713-682-1711

Emergency Ph

one Num:1-800-854-6813

CAGE:26351

=== Contractor Identification ===

Company Name: INTERNATIONAL PAINT INC

Address:6001 ANTOINE DR

Box:City:HOUSTON

State:TX ZIP:77091 Country:US

Phone:800-589-1267/800-854-6813

CAGE:26351

======= Composition/Information on Ingredients ========

Ingred Name:N-BUTYL ALCOHOL (SARA III)

CAS:71-36-3

RTECS #:EO1400000 Fraction by Wt: 5-10% OSHA PEL:100 PPM

ACGIH TLV:S, C 50 PPM; 9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: METHYL N-AMYL KETO

ΝE

CAS:110-43-0

RTECS #:MJ5075000 Fraction by Wt: 1-5% OSHA PEL:100 PPM

ACGIH TLV:50 PPM; 9192

Ingred Name: EPOXY RESIN

CAS:25068-38-6

RTECS #:KC2100000 Fraction by Wt: 20-25%

OSHA PEL:NA ACGIH TLV:NA

=========== Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure: EYES: SEVERE IRRI, REDNESS, TEARING & BLURRED

VISION. SKIN: IRRI. DERMATITIS. SENSITIZATIO

N OR OTHER ALLERGIC

RESPONSES. INHAL: IRRI OF RESPIR TRACT. HEADACHE &DIZZINESS & UNCONSCIOUSNESS. INGESTION: GASTROINTESTINAL IRRI, NAUSEA, VOMITING& DIARRHEA

Medical Cond Aggravated by Exposure: SKIN & RESPIRATORY CONDITIONS

First Aid:EYES: FLUSH IMMED W/COPIOUS QUANT OF WTR 15 MIN. GET MED ATTN. IMMED. SKIN: REMOVE CONT CLOTHING, WASH SKIN W/PLENTY OF SOAP & WATER. LAUNDER CLOTHES BEFORE RE-USE. INHAL:

REMOVE TO FRESH AIR.

GIVE CP R IF NEEDED. GET MED ATTN. INGESTION: CALL A PHYSICIAN IMMED TO DETERMINE WHETHER OR NOT TO INDUCE VOMITING.

========= Fire Fighting Measures ==============


Flash Point: 107 F 41.67 C

Extinguishing Media: FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures:SMOTHER FLAMES W/ABOVE EXTING MEDIA. WTR MAY BE USED TO COOL CONT. BUT MUST NOT BE AS EXTING. TAKE CARE TO PREVENT SPREAD OF BURNING LIQ. W/WTR. MAY EXPLODE

TREVENT OF BORNING EIG. W/WTR. MATERIESE

Unusual Fire/Explosion



ty Indicator/Materials to Avoid:YES	
NONE KNOWN UNLESS OTHERWISE NOTED. OXIDIZING AGENTS	
Stability Condition to Avoid:NONE KNOWN UNLESS OTHERWISE NOTED. STORE	
AWAY FROM DIRECT HEAT, FLAME OR SPARKS	
Hazardous Decomposition Products:CO, CO2, VARIOUS HYDROCARBON FRAGME ALDEHYDES	NTS

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE UNOPENED CONTAINERS

## Disclaimer

(provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.