

ACCRABOND, INC. -- ANAEROBIC RETAINING COMPOUND -- 8030-00-181-7603

=====
Product Identification
=====

Product ID:ANAEROBIC RETAINING COMPOUND

MSDS Date:03/28/1986

FSC:8030

NIIN:00-181-7603

MSDS Number: BHQHK

=== Responsible Party ===

Company Name:ACCRABOND, INC.

Address:8848 HACKS CROSS ROAD

City:OLIVE BRANCH

State:MS

ZIP:38654

Country:US

Info Phone Num:601-895-4480

Emergency Phone Num:601-895-4

480

CAGE:5V071

=== Contractor Identification ===

Company Name:ACCRABOND INC

Address:8848 HACKS CROSS RD

Box:City:OLIVE BRANCH

State:MS

ZIP:38654-3884

Country:US

Phone:601-895-4480

CAGE:5V071

=====
Composition/Information on Ingredients
=====

Ingred Name:DICYCLOPENTENYL OXYETHYL METHACRYLATE

CAS:68586-19-6

Fraction by Wt: > 75%

OSHA PEL:NONE ESTABLISHED

ACGIH TLV:NONE ESTABLISHED

Ingred Name:TRIMETHYLOLPROPANE TRIMETHACRYLATE

CAS:3290-92-4

RTECS #:TY6675000

Fraction by Wt: <

20%
OSHA PEL:NONE ESTABLISHED
ACGIH TLV:NONE ESTABLISHED

Ingrd Name:1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE)
(SARA III)
CAS:80-15-9
RTECS #:MX2450000
Fraction by Wt: 2%
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: SKIN OR EYE IRRITATION.
CHRONIC: MAY CAUSE S
ENSITIZATION IN SOME INDIVIDUALS.
INHALE: UNLIKELY TO CAUSE HEALTH PROBLEMS. EYES: MAY CAUSE IRRITA-
TION OR SLIGHT TO MODERATE TISSUE DAMAGE . SKIN: MAY CAUSE
SENSITIZATION IN SOMEINDIVIDUALS. ACUTE ORAL LD-50 (RAT) 5G/KG.
Effects of Overexposure:SKIN AND/OR EYE IRRITATION.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER AND
CALL A PHYSICIAN. SKIN: WASH THOROUGHLY WITH SOAP AND WATER.

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:> 200 F/93.33 C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CO2, DRY CHEMICAL, WATER FOG.
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS SHOULD BE
WORN.
Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY CAUSE RAPID
POLYMERIZATION CAUSING CONTAINERS TO RUPTURE.

===== Accidental Release Measures =====

Spill Release Procedures:STORE IN C

OOO SHADED AREA AT MAXIMUM OF 80 F.

ABSORB WITH INERT MATERIAL, PLACE IN OPEN CONTAINERS AND
POLYMERIZE WITH COPPER NAPHTHENATE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.

Ventilation:NA

Protective Gloves:RUBBER.

Eye Protection:GOGGLES.

Other Protective Equipment:EYE WASH STAND.

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =

=====

Boiling Pt:B.P. Text:115-120 C

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:< 0.1

Vapor Density:> 1

Spec Gravity:< 1

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GREEN LIQUID; ACRYLIC ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

PEROXIDES, METALS.

Stability Condition to Avoid:EXCESSIVE HEAT (>50C).

Hazardous Decomposition Products:CO, CO2, OTHERS POSSIBLE.

Conditions to Avoid Polymerization:EXCESSIVE H

EAT, POLYMERIZATION,

CATALYSTS.

===== Disposal Considerations =====

Waste Disposal Methods:EPA GUIDELINE SHOWS SLIGHT TOXICITY TO FISH.

DISPOSE POLYMERIZED MATERIAL IN APPROVED LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be

accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.