

GENERAL SEALANTS, INC. -- POLYSULFIDE SEALANT -- 8030-00-433-4145

=====  
Product Identification  
=====

Product ID:POLYSULFIDE SEALANT

MSDS Date:10/25/1989

FSC:8030

NIIN:00-433-4145

MSDS Number: BHQJX

=== Responsible Party ===

Company Name:GENERAL SEALANTS, INC.

Address:300 S. TURNBULL CANYON RD.

Box:3855

City:CITY OF INDUSTRY

State:CA

ZIP:91745

Country:US

Info Phone Num:818-961-0211

Emergency Phone

Num:800-762-1144

CAGE:53992

=== Contractor Identification ===

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

Box:3855

City:CITY OF INDUSTRY

State:CA

ZIP:91744

Country:US

Phone:818-961-0211

CAGE:53992

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON HAZARDOUS INGREDIENT

=====  
Hazards Identification  
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NOT APPLICABLE

TO THIS PRODUCT SINCE  
IT IS 100% SOLID.

Explanation of Carcinogenicity:NONE  
Effects of Overexposure:NONE

=====  
Fire Fighting Measures  
=====

Flash Point:800F  
Extinguishing Media:WATER, CARBON DIOXIDE, DRY CHEMICAL  
Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED SURFACES  
AND TO PROTECT PERSONNEL. RESPIRATORY AND EYE PROTECTION  
REQUIRED  
Unusual Fire/Explosion Hazard:NON-EXPLOSIVE

=====  
Accidental Release Measures =  
=====

Spill Release Procedures:THIS IS 100% SOLID, IT WILL NOT SPILL. IF DIS-  
CHARGED ELIMINATE SOURCE OF IGNITION, IMPLEMENT CLEANUP  
PROCEDURE AND NOTIFY AUTHORITIES IF APPRO-PRiate.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE AT 72F

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE  
Protective Gloves:RECOMMEDED WHEN MATERIAL IS HOT  
Eye Protection:NONE  
Other P  
rotective Equipment:NONE  
Work Hygienic Practices:NONE  
Supplemental Safety and Health  
NK: THIS PRODUCT IS CONSIDERED NON-HAZARDOUS, NON-COMBUSTIBLE AND  
NON-EXPLOSIVEIT. CONTAINS LESS THAN 1% OF PARAFFINC OIL. IT IS  
MERELY CONSISTED OF POLYSULFIDE RUBBER INNERT FILLER,  
PLASTI CIZERS AND OIL.

=====  
Physical/Chemical Properties  
=====

HCC:N1  
Boiling Pt:B.P. Text:SOLID  
Melt/Freeze Pt:M.P/F.P Text:>400F  
Decomp Temp:Decomp Text:800F  
Vapor Pres:SOLID  
Vapor De

nsity:>1  
Spec Gravity:1.34  
Evaporation Rate & Reference:SOLID  
Solubility in Water:INSOLUABLE  
Appearance and Odor:BLACK, POLYSULFIDE SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS, OXIDIZING SUBSTANCES  
Stability Condition to Avoid:STABLE UNDER NORMAL CONDITIONS  
Hazardous Decomposition Products:CARBON MONOXIDE, FLAMMABLE  
HYDROCARBONS NK

===== Disposal Considerations =====  
=====

Waste Disposal Methods:USE STANDARD METHODS, RECOVER MATERIAL AND PLACE  
IN CONTAINERS FOR RECYCLE OR DISPOSAL. ENSURE LOCAL, FEDERAL  
AND STATE DISPOSAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for it  
s use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.