

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 3204, PART A -- 8030-00-753-5005

=====
Product Identification
=====

Product ID:CS 3204, PART A

MSDS Date:07/25/1989

FSC:8030

NIIN:00-753-5005

Kit Part:Y

MSDS Number: BHQLX

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Info Phone Num:818-982-1650 FAX 8

18-765-5603

Emergency Phone Num:818-982-1650

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcin

ogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NON ESTABLISHED. POSSIBLE SKIN IRRITATION AFTER PROLONGED CONTACT, WITH RESULT- ING DERMATITIS. NOT CONSIDERED TO BE A PRIMARY SKIN IRRITANT.

Effects of Overexposure:SKIN AND/OR EYE IRRITATION.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PHYSICIAN.
SKIN: WASH WITH SOAP AND WATER. INGESTION: INDUCE VOMITING, CONSULT PHYSICIAN.

=
=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:200 F/ 93 C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER.
Fire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR REACTION WITH CURING AGENT. CLEAN UP RESIDUE WITH 1,1,1-TRICHLOROETHANE THEN WITH SOAP AND WATER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA, AWAY FROM STRONG ACIDS.
Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER HANDLING THIS PRODUCT.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.
Ventilation:LOCAL EXHAUST; AIR. MECHANICAL (GENERAL); FAN.
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES
Other Protective Eq

ipment:APPROPRIATE TO AVOID PROLONGED CONTACT.
Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS
PRODUCT.
Supplemental Safety and Health
KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:NA
Melt/Freeze Pt:M.P/F.P Text:***
Vapor Pres:NEGLIGIBLE
Vapor Density:NEGLIGIBLE
Spec Gravity:1.52
Evaporation Rate & Reference:NEGLIGIBLE
Solubility in Water:NEGLIGIBLE
Appearance and Odor:WHITE PASTE, POLYSULFIDE ODOR. (MELTING
POINT:
LIQUID AT ROOM TEMP.)

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID STRONG OXIDIZING AGENTS AND STRONG ACIDS.
Stability Condition to Avoid:OPEN FLAME.
Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS SOLID
WASTE PER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.