View NSN Online: https://aerobasegroup.com/nsn/8010-00-926-1488

Product ID:PAINT STRIPPER 7 (MIL-R-81294C) OR B MSDS Date:01/02/1988 FSC:8010 NIIN:00-926-1488 **MSDS Number: BHWCK** === Responsible Party === Company Name: CREST INDUSTRIAL CHEMICAL Address:6341 BEVERLY HILL City:HOUSTON State:TX ZIP:77057 Country:US Info Phone Num:780-1828 Emerge ncy Phone Num:780-1828 CAGE:77513 === Contractor Identification === Company Name: CREST INDUSTRIAL CHEMICALS INC Address:6341 BEVERLY HILL Box:42242 City:HOUSTON State:TX ZIP:77057-6500 Country:US Phone:713-780-1828 CAGE:77513 Ingred Name: METHYLENE CHLORIDE (SARA III) CAS:75-09-2 RTECS #:PA8050000 OSHA PEL:500 PPM/C,1000; Z2 ACGIH TLV:50 PPM, A2; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name:SODIUM CHROMATE (SAR

A III) CAS:7775-11-3 RTECS #:GB2955000 OSHA PEL:0.1 PPM CRO3;CEILING ACGIH TLV:0.05 MG CR/M3; 9192 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:PHENOLIC BODIES ACGIH TLV:5 PPM (SKIN)

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION OF NOSE AND EYES, SLIGHT NARCOSIS.

====== F irst Aid Measures ======== F

First Aid:SKIN CONTACT: WASH WITH SOAP AND WATER. EYE CONTACT: FLUSH WITH WATER, OBTAIN MEDICAL ATTENTION.

Flash Point Method:COC Flash Point:NONE Extinguishing Media:CARBON DIOXIDE OR CHEMICAL FOAM. Fire Fighting Procedures:THERMAL DECOMPOSITION WILL PRODUCE TOXIC OXIDES OF CHLORINE WEAR GAS MASKS.

Spill

Release Procedures: VENTILATE AREA. MOP UP SPILLAGE AND DISPOSE OF I.A.W. LOCAL, STATE AND FEDERAL REGULATIONS.

Handling and Storage Precautions: TRANSPORT AND STORE IN CLOSED CONTAINERS AT TEMPERATURES UP TO 110 F.
Other Precautions: DO NOT STORE IN DIRECT RAYS OF SUN, OPEN CONTAINERS CAREFULLY TO AVOID SPRUTING.

======= Exposure Controls/Personal Protection ==========

**Respiratory Protection: FRESH AI** 

R MASK. Ventilation:USE LOCAL EXHAUST. Protective Gloves:USE PROTECTIVE GLOVES. Eye Protection:USE EYE PROTECTION. Other Protective Equipment:USE SOLVENT RESISTANT APRONS. Supplemental Safety and Health NK

Boiling Pt:B.P. Text:110 F Melt/Freeze Pt:M.P/F.P Text:80% Vapor Pres:350 MM Vapor Density:> 1(AIR=1) Spec Gravity:1.10 (H20=1) Evaporation Rate & amp; Reference:>1 (BUTYL ACETATE=1) Solubility in Water:APPRECIABLE Appearanc e and Odor:VISCOUS YELLOW LIQUID PHENOLIC ODOR.

Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZERS. Hazardous Decomposition Products:THERMAL DECOMPOSITION WILL PRODUCE TOXIC OXIDES OF CHLORINE.

Waste Disposal Methods:TREAT FOR PHENOLIC BODIES AND CHROMATE, DISPOSE OFI.A.W. LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided wi

th this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.