

DEXTER COATINGS -- ID7329T106,340 VOC GRAY TOP COAT 37038 -- 8010-01-293-8260
===== Product Identification =====

Product ID:ID7329T106,340 VOC GRAY TOP COAT 37038

MSDS Date:04/03/1990

FSC:8010

NIIN:01-293-8260

Kit Part:Y

MSDS Number: BHXX

=== Responsible Party ===

Company Name:DEXTER COATINGS

Address:31500 HAYMAN

City:HAYWARD

State:CA

ZIP:94544-7120

Country:US

Info Phone Num:415-791-1961 (NIGHT
NUMBER)

Emergency Phone Num:415-471-7171

Preparer's Name:S. MORRIS

CAGE:0HKK2

=== Contractor Identification ===

Company Name:DEXTER CORP THE DEXTER CROWN METRO AEROSPACE DIV

Address:31500 HAYMAN ST

Box:City:HAYWARD

State:CA

ZIP:94544-7120

Country:US

Phone:510-471-7171

CAGE:98795

Company Name:DEXTER SPECIALTY COATINGS

Address:31500 HAYMAN ST

Box:City:HAYWARD

State:CA

ZIP:94544

Country:US

Phone:415-791-1961

CAGE:0HKK2

===== Composition/Information on Ingredients =====

Ingred Na

me:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:MAY AFFECT THE FOLLOWING ORGANS:

RESPIRATORY TRACT, LIVER, BLOOD, AND CENTRAL NERVOUS SYSTEM, AND IRRITATION TO EYES AND SKIN.

Effects of Overexposure:OVEREXPOSURE BY INHALATION MAY CAUSE IRRITATION OF THE RESPIRATORY TRACT, HEADACHE, DIZZINESS, OR DROWSINESS.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF RUNNING WATER FOR AT LEAST 15 MINUTES. SKIN: REMOVE CONTAMINATED CLOTHING AND WASH SKIN WITH SOAP AND WATER. INHALATION: REMOVE FROM EXPOSURE. INGESTION: DRINK WATER. IF NECESSARY, CONSULT A PHYSICIAN FOR ANY OF THESE CONDITIONS.

=====
===== Fire Fighting Measures =====

Flash Point Method:SCC

Flash Point:34.0F,1.1C

Lower Limits:1.05

Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION, AVOID BREATHING VAPORS, VENTILATE AREA, AND REMOVE WITH INERT ABSORBANT AND NON-SPARKING TOOLS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT TAKE INTERNALLY! CONTAINERS SHOULD BE GROUNDED WHEN POURING. AVOID FREE FALL OF LIQUID IN EXCESS OF A FEW INCHES.

Other Precautions:MAKE SURE DRUM IS COMPLETELY EMPTY BEFORE WELDING OR BRAZING DRUM SHOULD BE INDUSTRIALLY CLEANED PRIOR TO REUSE. DO NOT FLAME CUT, BRAZE OR WELD WITHOUT A NIOSH APPROVED RESPIRATOR OR APPROPRIATE VENTILATION SYSTEM.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN LOCAL EXHAUST FAILS TO DILUTE TWA/PEL OF MATERIAL, USE NIOSH/MSHA APPROVED AIR LINE TYPE RESPIRATORS OR HOODS

OR ENCLOSED AND CONFINED AREAS. USE AIR PURIFYING
RESPIRATORS FOR OTHER AREAS. SEE FILE FOR MORE INFORMATION.
Ventilation:GENERAL DILUTION OR LOCAL EXHAUST TO KEEP TWA AND LEL BELOW
ACCEPTABLE LIMITS AND REMOVE DECOMPOSITION PRODUCTS.
Protective Gloves:CHEMICAL RESISTANT GLOVES
Eye Protection:SAFETY EYEWARE/SPLASH RESISTANT
Work Hygienic Practices:KEEP CONTAINERS CLOSED WHEN NOT IN USE.
Supplemental Safety and Health
SARA 313: METHYL ETHYL KETONE (10%). PROP. 65: BENZENE (.00020%).

=
===== Physical/Chemical Properties =====

HCC:F3
Boiling Pt:B.P. Text:172 TO 337F
Vapor Pres:MK
Vapor Density:>THAN AIR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
HEAT
Stability Condition to Avoid:MAY PRODUCE HAZARDOUS FUMES WHEN HEATED TO
DECOMP TEMP, WELDING
Hazardous Decomposition Products:FUMES MAY CONTAIN CARBON MONOXIDE AND
OXIDES OF NITROGEN. MAY PRODUCE HAZARDOUS FUMES WHEN HEATED TO
DECOMP TEMP/WELDING

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for it
s use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.