

JET-LUBE INC. -- KOPR-KOTE LEAD-FREE ANTI-SEIZE LUBRICANT -- 8030-00-251-3980

=====
Product Identification
=====

Product ID:KOPR-KOTE LEAD-FREE ANTI-SEIZE LUBRICANT

MSDS Date:01/26/1990

FSC:8030

NIIN:00-251-3980

MSDS Number: BHYHQ

=== Responsible Party ===

Company Name:JET-LUBE INC.

Address:4849 HOMESTEAD ROAD

Box:21258

City:HOUSTON

State:TX

ZIP:77226

Country:US

Info Phone Num:713-674-7617/TELEX

775393

Emergency Phone Num:713-674-7617

Preparer's Name:D.A. OLDIGES, TECH DIRECT

CAGE:JO923

=== Contractor Identification ===

Company Name:JET-LUBE INC

Address:4849 HOMESTEAD RD

Box:21258

City:HOUSTON

State:TX

ZIP:77026

Country:US

CAGE:0A307

Company Name:JET-LUBE INC.

Address:4849 HOMESTEAD ROAD

Box:21258

City:HOUSTON

State:TX

ZIP:77226

Country:US

Phone:713-674-7617

CAGE:JO923

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM OIL

CAS:64741-96-4

Fractio

n by Wt: 70% MAX
OSHA PEL:TWA-5MG/M3, OIL MIST

Ingred Name:COPPER (SARA III)
CAS:7440-50-8
RTECS #:GL5325000
Fraction by Wt: 15% MAX
OSHA PEL:0.1MG/M3 FUME/1 DUST
ACGIH TLV:0.2MG/M3 FUME; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:REDNESS AND IRRITATION OF SKIN.
Effects of Overexposure:REPEATED SKIN CONTACT FOR PERSONS
HYPERSENSITIVITY TO PETROLEUM PRODUCTS CAN CAUSE REDNESS AND
IRRITATION OF SKIN.

===== First Aid Measures =====

First Aid:INHALATION: CLEAR AIR PASSAGE, CALL A PHYSICIAN.
INGESTION: DO NOT INDUCE VOMITING, CALL A
PHYSICIAN. EYES: WASH WITH COPIOUS
QUANTITIES OF WATER.SKIN: REMOVE BY WIPING, OR WATERLESS HAND
CLEANER, FOLLOWED BY WASHING.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:116 F/ 241 C
Lower Limits:.9
Upper Limits:0.01 MMHG
Vapor Density:0.01(N-BUTYL ACETATE=1)
Solubility in Water:NONE
Appearance and Odor:COPPER COLORED PASTE, PETROLEUM ODOR.
Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING MATERIALS, COPPER REACTIVE AGENTS AND
1-BROMO-2-PROPYLENE.
Stability Condition to Avoid:STRONG OXIDIZING MATERIALS AND COPPER
REACTIVE AGENTS.
Hazard

ardous Decomposition Products:HYDROGEN, CARBON MONOXIDE, ALDEHYDES,
SMOKE, FUMES AND TOXIC COPPER COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT FEDERAL, STATE AND LOCAL REGULATIONS FOR
PETROLEUM PRODUCTS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly
or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.