View NSN Online: https://aerobasegroup.co.il/nsn/7510-00-161-0814

Product ID:A-A-208 TY2 RED MSDS Date:05/15/1989 FSC:7510 NIIN:00-161-0814 **MSDS Number: BJHTG** === Responsible Party === **Company Name: DIAGRAPH CORPORATION** Box:520 City:HERRIN State:IL ZIP:62948 Info Phone Num:(616) 997-3321 Emergency Phone Num:(616) 997-3321 Preparer's Name:W.R. MCMILLEN CAGE:FO627 === Contractor Identification === **Company Name: DIAGRAPH CORPORATION** Box:520 **City:HERRIN** State:IL ZIP:62948 Phone:(618) 997-3321 CAGE:FO627 Company Name: GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SVC Address: CYSTAL MALL BLDG 4 1941 JEFFERSON DAVIS Box:HWY **City:WASHINGTON** State:DC ZIP:20406 Country:US CAGE:80244

======= Composition/Information on Ingredients ==========

Ingred Name:DIACETONE ALCOHOL (4-HYDROXY-4-METHYL-2-PENTANONE) CAS:123-42-2 RTECS #:SA9100000 Fraction by Wt: 60-80% Other REC Limits:50 PPM OSHA PEL:50 PPM ACGIH TLV:50 PPM; 9192

Ingred Name:2-(2-BUTOXYETHYOXY)-ETHANOL, DIETHYLENE GLYCOL MONOBUTYL ETHER (BUTYL CARBITOL) CAS:112-34-5 RTECS #:KJ9100000 Fraction by Wt: 1-20%

LD50 LC50 Mixture:ORAL RAT LD50 = 4,000 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN: DERMATITIS, IRRITATIO N, & SENSITIZATION. EYE: REDNESS & BLURRED VISION. INHALATION: IRRITATION, DIZZINSS & FATIGUE. INGESTION: VOMITING, IRRITATION, NAUSEA, EFFECT KIDNEY & LIVER. Explanation of Carcinogenicity:NONE Effects of Overexposure:SKIN: DERMATITIS, IRRITATION, & SENSITIZATION. EYE: REDNESS & BLURRED VISION. INHALATION: IRRITATION, DIZZINESS &

FATIGUE. INGESTION: VOMITING, IRRITATION, NAUSEA, EFFECT KIDNEY & LIVER.

Medical Cond Aggravated by Exposure: DERMATITIS, SENSITIZATION

======

First Aid:SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/WATER. CALL PHYSICIAN. INHALATION: PROVIDE FRESH AIR & REST. INGESTION: DRINK SEVEREAL GLASSES OF WATER, INDUCE VOMITING. CALL PHYSICIAN.

Flash Point Method:CC Flash Point:120F Lower Limits:0.9% Extinguishing Media:ALCOHOL FOAM, CO2, DRY CHEMICAL Fire Fighting Procedures:A STRAIGHT STREAM OF WATER COULD SP

READ FIRE.

Unusual Fire/Explosion Hazard: A VAPOR ACCUMULATION WILL FLASH &/OR EXPLODE IF IGNITED. FLAMMABLE/COMBUSTIBLE II.

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. ABSORB ON INERT MATERIAL.

Handling and Storage Precautions:STORE IN COOL, DRY PLACE AWAY FROM ALL SOURCES OF IGNITION.

Respiratory Protection:ORGANIC VAPOR: RECOMMENDED Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP