View NSN Online: https://aerobasegroup.com/nsn/6115-00-700-8035

BURTON RUBBER PROCESSING INC -- 2963-B-M8 (124A6348) -- 6115-00-700-8035

Product ID:2963-B-M8 (124A6348)

MSDS Date:11/28/1989

FSC:6115

NIIN:00-700-8035

Kit Part:Y

MSDS Number: BJKPL === Responsible Party ===

Company Name: BURTON RUBBER PROCESSING INC

Address:14330 KINSMAN ROAD

City:BURTON State:OH ZIP:44021

Country:US

Info Phone Num:216-834-4644

CAGE:1T914

=== Co

ntractor Identification ===

Company Name: BURTON RUBBER PROCESSING INC

Address:14330 KINSMAN RD

Box:City:BURTON

State:OH ZIP:44021 Country:US

Phone:216-834-4644

CAGE:1T914

Company Name: GENERAL ELECTRIC CO

Address:3135 EASTON TURNPIKE

Box:City:FAIRFIELD

State:CT ZIP:06431 Country:US

Phone:800-626-2000/800-626-2004 (CHRIS)

CAGE:24446

Company Name: LELAND ELECTROSYSTEMS INC

Address:1200 LAWERENCE PKWY

Box:City:ERIE State:PA ZIP:16531


Phone:814-875-2916

CAGE:0F796

Country:US

====== Compositio

n/Information on Ingredients =======
Ingred Name:COUMARONE - INDENE RESIN CAS:63393-89-5 Fraction by Wt: >1%
Ingred Name:DI-SEC-OCTYL PHTHALATE (DI-2-ETHYLHEXYL-PHTHALATE) (SARA III) CAS:117-81-7 RTECS #:TI0350000
Fraction by Wt: >0.1% Other REC Limits:10.0 MG/M*3 OSHA PEL:5 MG/M3/10 STEL ACGIH TLV:5 MG/M3; 9192
EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS
=========== Hazards Identification ============
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of En try: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:COUMARONE INDENE RESIN MAY CAUSE EYE & SKIN IRRITATION TO ALLERGIC PERSONS. DOP/DEHP MAY CAUSE EYE, SKIN, MUCOUS MEMBRANE, UPPER RESPIRATORY TRACT IRRITATION. Explanation of Carcinogenicity:VERY HIGH LEVELS FED TO RAT PRODUCE LIVER TUMORS (IARC/NTP); TESTS INDICATE TARGET ORGANS AS LIVER, TESTES, AND FETUS. Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:PERSON WITH CHRONIC RESP DISORDERS (ASTHMA, BRONCH, EMPHYSEMA, ETC) MAY BE ADVERSELY AFFECTED BY FUME OR AIRBORNE PARTICULATE.
======================================
First Aid:EYES/SKIN: FLUSH WITH PLENTY OF WATER - CONSULT WITH PHYSICIAN IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR. INGESTATION: CONSULT PHYSICIAN.
======================================
Ext



IC SOLID; CHARACTERISTIC
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:AVOID DECOMPOSITION TEMPERATURES Hazardous Decomposition Products:CARBON MONOXIDE (CO), CARBON DIOXIDE(CO*2), HYDROGEN CYANIDE (HCN).
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disc

laimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.