View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-264-8680

Product ID:TRACER-TECH D499-C MSDS Date:06/09/1986 FSC:6850 NIIN:01-264-8680 MSDS Number: BJKZR === Responsible Party === Company Name: ARDROX INC Address:16961 KNOTT AVE City:LA MIRADA State:CA ZIP:90638-6015 Country:US Info Phone Num:714-739-2821 Emergency Phone Num:800-424-9300 Preparer's Name: ABAYOMI I.OW ΕI CAGE:23373 === Contractor Identification === Company Name: BRENT AMERICA, INC. Address:16961 KNOTT AVE. Box:City:LA MIRADA State:CA ZIP:90638-6015 Country:US Phone:714-739-2821 CAGE:23373 Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROEHANE) (SARA III) CAS:71-55-6 RTECS #:KJ2975000 Fraction by Wt: >80.0% Other REC Limits:NONE SPECIFIED OSHA PEL:350 PPM/450 STEL ACGIH TLV:350 PPM/450STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qt

y:1000 LBS Ozone Depleting Chemical:1

Ingred Name:SILICA GEL CAS:112945-52-5 RTECS #:VV7310000 Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN,RESPIRATORY OR G.I.TRACTS;CNS EFFECTS LIKE HEADACHE,DIZZINESS,NAUSEA AND VOMITING. REDNESS/TEAR OR BURNS OF EYES/SKI N POSSIBLE.CHRONIC:DRYING OF SKIN,DEFATTING OR DERMATI TIS. Explanation of Carcinogenicity:DATA PER MSDS Effects of Overexposure:MAY CAUSE IRRITATION OF EYES,SKIN,RESPIRATORY OR G.I.TRACTS;MAY CAUSE HEADACHE,DIZZINESS,NAUSEA,VOMITING OR GI TRACT DISTURBANCES POSSIBLE.BURNS OR REDNESS OF EYES/CRACKING OR DRYNESS OF SKIN. Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT

INCREASED RISK FROM EXPOSURE.

First Aid:INHALATION:REMOVE TO FRESH AIR. RESUSCITATE IF NOT BREATHING. GET MEDICAL ATTENTION. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ADVICE. INGESTION:DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

Flash Point:NONE Autoignition Temp:Autoignition Temp Text:998F Lower Limits:7.5 Upper Limits:12.5 Extinguishing Media:WATER SPRAY,DRY CHEMICAL,CO*2 AND WATER FOG Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:CONTAI

NERS MAY RUPTURE DUE TO EXTREME HEAT.

======================================
Spill Release Procedures: USE PROPER PERSONAL PROTECTION; REMOVE ALL IGNITION SOURCES. CONTAIN FREE MATERIAL IF POSSIBLE; USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER. Neutralizing Agent: NOT APPLICABLE.
======================================
Handling and Storage Precautions:STORE IN A COOL, DRY, W ELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. KEEP AWAY FROM NAKED FLAMES.
Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.
======================================
Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV OR SCBA IN AN ENCLOSED ARE A.
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER Eye Protection:SAFETY GOGGLES WITH OPTIONAL FACE SHIELD Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.
Supplemental Safety and Health AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN O R IN EYES. DO NOT BREATHE VAPORS OR MISTS.
======================================
HCC:T4 Boiling Pt:B.P. Text:165F,74C Vapor Pres:100 Vapor Density:4.55 Spec Gravity:1.32 Evaporation Rate & amp; Reference:>5.0(N-BUTYL ACETATE=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE POWDER SUSPENDED IN COLORLESS LIQUID,CHARACTERISTIC ODOR

Stability Indicator/Materials to Avoid:YES OXIDI

XING AGENTS, ALKALI METALS Stability Condition to Avoid: HIGH TEMPERATURES ,SPARKS AND NAKED FLAMES.

Hazardous Decomposition Products:HYDROGEN CHLORIDE ;VERY SMALL AMOUNT OF PHOSGENE AND CHLORINE.

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES.DISPOSAL MUST BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agenc ies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.