View NSN Online: https://aerobasegroup.com/nsn/8040-01-015-2202

CREST PRODUCTS CORP -- 3135 B (POLYAMIDE RESIN), PART B -- 8040-01-015-2202

======== Product Identification ============

Product ID:3135 B (POLYAMIDE RESIN), PART B

MSDS Date:04/17/1990

FSC:8040

NIIN:01-015-2202

MSDS Number: BJMGW === Responsible Party ===

Company Name: CREST PRODUCTS CORP

Address:2000 S SUSAN ST

City:SANTA ANA

State:CA

ZIP:92704-4415 Country:US

Info Phone Num:714-965-9292

Emergency Phone N um:714-965-9292

CAGE:34469

=== Contractor Identification ===

Company Name: CREST PRODUCTS CORP

Address:2000 S SUSAN ST

Box:City:SANTA ANA

State:CA

ZIP:92704-4415 Country:US

Phone:714-965-9292

CAGE:34469

======= Composition/Information on Ingredients ========

Ingred Name:TRIETHYLENE TETRAMINE

CAS:112-24-3

RTECS #:YE6650000 Fraction by Wt: 6-12%

Other REC Limits: NONE ESTABLISHED

Ingred Name: POLYAMIDE RESIN

Other REC Limits: NONE ESTABLISHED

OSHA PEL:NONE ESTABLISHED

ACGIH TLV:NONE ES

TABLISHED
============ Hazards Identification =============
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INGEST: MAY CAUSE GASTROINTESTINAL IRRITATION. MAY CAUSE BURNS OF THE MOUTH, THROAT, & STOMACH; SKIN: MODERATELY IRRITATING TO SKIN. SOME PEOPLE MAY DEVELOPE ALLERGIC REACTION; INHALE: IRRITATING TO U PPER RESPIRATORY TRACT; EYE: CAUSES EYEIRRITATION OR BURNS. MA Y CAUSE EYE DAMAGE. Effects of Overexposure:SEE "HEALTH HAZARDS" Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE.
======================================
First Aid:INHALE:REMOVE TO FRESH AIR. EYE: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES; SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPES; INGEST: DO NOT INDUCE VOMITING. GIVE LARGE AMOUNTS OFMIL K OR WATER.SEEK MEDICAL ATTENTION.
======================================
Flash Point Method:COC Flash Point:>464F/240C Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR WITH SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE STATED.
========= Accidental Release Measures ==========
Spill Release Procedures:AVOID EYE AND SKIN CONTACT. ABSORB WITH INERT ABSORBANT. Neutralizing Agent:NOT APPLICABLE.
======================================
Handling and Storage Precautions:STORE AWAY FROM ALL SOURCES OF HEAT. Other Precautions:NONE STATED.

Respiratory Protection: NOT USUALLY NEEDED. USE ORGANIC MASK IF MATERIAL IS TO BE HEATED AND NO GOOD VENTILATION IS PRESENT. Ventilati

====== Exposure Controls/Personal Protection ========

on:MECHANICAL (GENERAL) ROOM VENTILATION IS NORMALLY ADEQUATE. Protective Gloves:IMPERVIOUS TYPES. Eye Protection:SAFETY GOGGLES. Other Protective Equipment:NONE STATED. Work Hygienic Practices:NONE STATED. Supplemental Safety and Health KEY1: L1. THIS IS PART B OF A TWO PART KIT.
========= Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:509F/265C Vapor Pres:NIL Vapor Density:> AIR Spec Gravity:0.97 Solubility in Water:< 20% Appearance and Odor:VISCOUS A MBER LIQUID, SLIGHT AMMONIA ODOR.
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES ACIDS, BASES, AND STRONG OXIDIZERS. Stability Condition to Avoid:EPOXY RESINS UNDER UNCONTROLLED CONDITIONS. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN.
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLIC ABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitabi

