

LOCTITE CORPORATION -- CLEANUP SOLVENT 75326, SPLICING KIT O RING

=====  
MSDS Safety Information  
=====

FSC: 4940  
NIIN: 01-131-1915  
MSDS Date: 01/02/1991  
MSDS Num: BJQJD  
Product ID: CLEANUP SOLVENT 75326, SPLICING KIT O RING  
MFN: 01  
Kit Part: Y  
Responsible Party  
Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 1001 TROUT B  
ROOK CROSSING  
City: ROCKY HILL (FORMALLY IN NEWINGTON) CT 06067  
Info Phone Number: 860-571-5100/FAX 860-571-5465  
Emergency Phone Number: 860-571-5100/FAX 860-571-5465  
Preparer's Name: STEPHEN REPETTO  
Published: Y

=====  
Contractor Summary  
=====

Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT 06067-3910  
Phone: 860-571-5100  
Cage: 97403  
Name: US ARMY  
Addre  
ss: RESEARCH AND DEVELOPMENT CENTER  
City: FORT BELVOIR VA 22060-5606  
Phone: UNKNOWN

=====  
Item Description Information  
=====

Item Manager: S9C  
Item Name: SPLICING KIT O RING  
Specification Number: NONE  
Type/Grade/Class: NONE  
Unit of Issue: KT  
UI Container Qty: 1  
Type of Container: UNKNOWN

=====  
Ingredients  
=====

=====

Cas: 872-50-4  
RTECS #: UY5790000  
Name: 1-METHYLPYRROLIDONE  
% Wt: 100 %  
Other REC Limits: 100 PPM TWA  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

=====

Health Hazards Data

=====

LD50 LC50 Mixture: 4000MG/KG ESTIMATED ORAL LD50  
Route Of Entry Inds - Inhalation: YES  
Skin: YES  
Ingestion: NO  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects of Exposure: SEVERE EYE IRRITA  
NT. SKIN IRRITANT. CENTRAL NERVOUS SYSTEM  
DISTURBANCES. GASTROINTESTINAL DISTURBANCES.  
Explanation Of Carcinogenicity: PRODUCT CONTAINS NO MATERIALS CURRENTLY  
CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.  
Signs And Symptions Of Overexposure: IRRITATION OF EYE AND/OR SKIN. HEADACHE,  
NAUSEA, GIDDINESS, MENTAL CONFUSION UPON INHALATION IN AREAS OF VERY HIGH  
CONCENTRATION.  
Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.  
First Aid: INGESTION: DO NOT INDUCE VOMITING. KE  
EP INDIVIDUAL CALM. OBTAIN  
MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION  
IF BREATHING IS DIFFICULT. SKIN CONTACT: FLUSH WITH WATER. EYE CONTACT:  
FLUSH AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION.

=====

Handling and Disposal

=====

Spill Release Procedures: REMOVE IGNITION SOURCES. SOAK UP IN AN INERT  
ABSORBENT. STORE IN A CLOSED CONTAINER UNTIL D  
ISPOSAL.  
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.  
Waste Disposal Methods: LANDFILL OR INCINERATE FOLLOWING EPA AND LOCAL  
REGULATIONS.  
Handling And Storage Precautions: STORE BELOW 120F. AVOID CONTACT WITH EYES.  
WASH THOROUGHLY AFTER HANDLING.  
Other Precautions: KEEP AWAY FROM HEAT AND OPEN FLAMES.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: TCC  
Flash Point

Text: 199F,93C

Lower Limits: 1.3 %

Upper Limits: 9.5 %

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL

Fire Fighting Procedures: IRRITATING ORGANIC VAPORS FORMED DURING FIRE. FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

=====  
Control Measures  
=====

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.

Ven

tilation: SOME LOCAL VENTILATION MAY BE DESIRABLE

Protective Gloves: NATURAL RUBBER OR NEOPRENE GLOVES

Eye Protection: SAFETY GLASSES OR GOGGLES

Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WITH EYES.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

=====  
Physical/Chemical Properties  
=====

HCC:

V4

B.P. Text: 395F,202C

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: 1MM @ 75F

Vapor Density: 3.4 @ 72F

Spec Gravity: 1.03

Viscosity: UNKNOWN

Evaporation Rate & Reference: >300 (ETHER =1)

Solubility in Water: MISCIBLE

Appearance and Odor: CLEAR LIQUID AMMONICAL ODOR

Corrosion Rate: UNKNOWN

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: TEMPERATURE

S ABOVE 120F, HEAT OPEN FLAMES

Materials To Avoid: STRONG OXIDIZING AGENTS OR REDUCING AGENTS

Hazardous Decomposition Products: IRRITATING ORGANIC VAPORS

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: 05972

Trans ID NO: 109650

Product ID: CLEANUP SOLVENT 75326, SPLICING KIT O RING

MSDS Prepared Date: 01/02/1991

Review Date: 03/18/1991

MFN: 1

Net Unit Weight: 2 OUNCES

Multiple KIT Number: 0

Kit Part IND: Y

Review IND: Y

Unit Of Issue: KT

Container QTY: 1

Type Of Container: UNKNOWN

Additional Data: WHEN SHIPPED WITH KIT, PART B GOVERNS SHIPPING CODES. IF MORE THAN 1 PINT OF PART B SHIPPED, NAX;OSR

;YEL;JKT. TOLUENE SOLUTION. LESS THAN  
1 PINT SHIPPED ORM-D, DTJ;ZZZ;ZZZ;CZQ, CONSUMER COMMODITY.

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: CLEANUP SOLVENT 75326, SPLICING KIT O RING  
Cage: 05972  
Company Name: LOCTITE CORPORATION  
Street: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT  
Zipcode: 06067-3910  
Health Emergency Phone: 203-278-1280  
Label Required IND: Y  
Date Of Label Review: 03/18/1991  
Status Code: C  
MFG Label NO: NONE  
Label Date: 03/18/1991  
Origination Code: F  
Eye Protection IND: YES  
Sk

in Protection IND: YES  
Signal Word: CAUTION  
Health Hazard: Slight  
Contact Hazard: Slight  
Fire Hazard: Slight  
Reactivity Hazard: None

Hazard And Precautions: STORE BELOW 120F. AVOID CONTACT WITH EYES. WASH THOROUGHLY AFTER HANDLING. FIRST AID: INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR . OBTAIN MEDICAL ATTENTION IF BREATHING IS DIFFICULT. SKIN CONTACT: FLUSH WITH WATER. EYE CONTACT: FLUSH AT LEAST 15 MINUTES WITH WATER . OBTAIN MEDICAL ATTENTION.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.