

ALFA KLEEN -- ODOR CONTROL - 034 -- 6840-01-243-5794

=====  
Product Identification  
=====

Product ID:ODOR CONTROL - 034

MSDS Date:06/04/1987

FSC:6840

NIIN:01-243-5794

MSDS Number: BJRSX

=== Responsible Party ===

Company Name:ALFA KLEEN

Address:2691 SATURN

City:BREA

State:CA

ZIP:92621-6703

Country:US

Info Phone Num:714-524-2530/2430

Emergency Phone Num:800-424-9300 CHEMTREC

CAGE:62639

=== Contract

or Identification ===

Company Name:ALFA KLEEN CHEMICAL LABORATORIES INC

Address:840 CAPITOLIO WAY

Box:City:SAN LUIS OBISPO

State:CA

ZIP:93401

Country:US

Phone:805-541-3465

CAGE:62639

=====  
Composition/Information on Ingredients  
=====

Ingred Name:THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE  
PRESENT IN THIS PRODUCT.

RTECS #:9999999ZZ

Fraction by Wt: 100%

Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Route

s of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: MAY CAUSE BURNING OR OTHER IRRITATION.  
Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.  
Effects of Overexposure:IRRITATION OF EYES.  
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF EYE, SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====  
===== First Aid Measures =====

First Aid:EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER.

===== Fire Fighting Measures =====

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL AS APPROPRIATE FOR SURROUNDINGS.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.  
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:MOP OR WIPE UP SPILL. WASH DOWN ANY RESIDUE WITH WATER.  
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.  
Ventilation:MECHANICAL (GENERAL) VENTILATION IS USUALLY ADEQUATE.  
Protective Gloves:NONE SPECIFIED BY MANUFACTURER.  
Eye Protection:NONE SPECIFIED BY MANUFACTURER.  
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
USE IS INTENDED FOR H

OLDING TANKS AND AIRCRAFT LAVATORIES.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.06

Evaporation Rate & Reference:0.7 (N-BUTYL ACETATE=1)

Solubility in Water:COMPLETE

Appearance and Odor:BLUE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NONE SPECIFIED  
BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:MANUFACTURER STATES THAT WASTE CAN FLUSHED DOWN  
THE SEWER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any perso

n utilizing this

document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.