

H.B. FULLER COMPANY -- SC-1185, ADHESIVE -- 8040-00-779-9597

=====  
Product Identification  
=====

Product ID:SC-1185, ADHESIVE

MSDS Date:11/21/1986

FSC:8040

NIIN:00-779-9597

MSDS Number: BJYJR

=== Responsible Party ===

Company Name:H.B. FULLER COMPANY

Address:1200 WOLTERS BOULEVARD

City:VADNAIS HEIGHTS

State:MN

ZIP:55110

Country:US

Info Phone Num:612-481-3300

Emergency Phone Num:612-481-3300

Prepar

er's Name:JOHN R. DOLMAR

CAGE:9R359

=== Contractor Identification ===

Company Name:H.B. FULLER COMPANY

Address:3500 LEXINGTON AVENUE N.

Box:City:ST. PAUL

State:MN

ZIP:55126-8076

Country:US

Phone:612-236-5300/ -5309 FAX

CAGE:0DH19

Company Name:H.B. FULLER COMPANY-FOSTER PRODUCTS DIVISION

CAGE:9R359

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: > 10%

Other REC Limits:LEL, 2.6%

OSHA PEL:1000PPM

AC

GIH TLV:750PPM/1000STEL;9293  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:N-HEPTANE  
CAS:142-82-5  
RTECS #:MI7700000  
Fraction by Wt: > 10%  
Other REC Limits:LEL, 1.2%  
OSHA PEL:500 PPM/500 STEL  
ACGIH TLV:400 PPM/500STEL;9293

Ingred Name:HEXANE (N-HEXANE)  
CAS:110-54-3  
RTECS #:MN9275000  
Fraction by Wt: 1-10%  
Other REC Limits:LEL, 1.1  
OSHA PEL:500 PPM  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:TOLUENE (SARA III)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: > 10%

Other REC Limits:LEL, 1.2%  
OSHA PEL:200 PPM/150 STEL  
ACGIH TLV:50 PPM; 9293  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:LONG TERM OVEREXPOSURE TO SOLVENTS MAY  
CAUSE LIVER AND KIDNEY DAMAGE.  
Explanation of Carcinogenicity:THIS PRODUCT DOES NOT CONTAIN REGULATED  
LEVELS OF NTP, IARC, OR OSHA LISTED CARCINOGENS.  
Effects of Overexposure:EY

ES:CONTACT WILL CAUSE MODERATE

IRRIT.SKIN:LIQUID CONTACT WILL DRY & DEFAT.REPEATED CONTACT MAY CAUSE IRRITATION & DERMATITIS.INHALATION:OVEREXPOSURE TO VAPORS IN POORLY VENTILATED AREAS WILL CAUSE I RRRITATION OF THE NOSE,THROAT, & RESPIRATORY TRACT & MAY CAUSE DIZZINESS, HEADACHES,NAUSEA OR UNCONSCIOUSNESS.

===== First Aid Measures =====

First Aid:EYES:FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. CALL A PHYSICIAN. S

KIN:WASH AFFECTED AREA WITH SOAP AND WATER. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. INHALED:REMOVE FROM EXPOSURE. RESTORE BREATHING IF NECESSARY. KEEP WARM AND QUIET. CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point: