

FISKE BROS REFINING CO -- LUBRIPLATE FML-2,FML-1,FML-0,SUPER FML-2,14598 --
9150-01-082-9100

===== Product Identification =====

Product ID:LUBRIPLATE FML-2,FML-1,FML-0,SUPER FML-2,14598

MSDS Date:01/01/1996

FSC:9150

NIIN:01-082-9100

MSDS Number: BJYLR

=== Responsible Party ===

Company Name:FISKE BROS REFINING CO

Address:129 LOCKWOOD ST

City:NEWARK

State:NJ

ZIP:07105

Country:US

Info Phone Num:201-

589-9150/419-691-2491 (TOLEDO)

Emergency Phone Num:201-589-9150/800-255-3924(CHEM-TEL)

Preparer's Name:JANES R. KONTAK

CAGE:73219

=== Contractor Identification ===

Company Name:FISKE BROS REFINING CO

Address:129 LOCKWOOD ST

Box:City:NEWARK

State:NJ

ZIP:07105-4720

Country:US

Phone:201-589-9150

CAGE:73219

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA

ZIP:70056

Country:US

Phone:504-366-9105

CAGE:0PGK2

===== Composition/Information on Ingredient =====

ts =====

Ingred Name:ZINC COMPOUND

Fraction by Wt: 94%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:TLV FOR OIL MIST IS 5 MG/M3.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN. ACUTE-
PROLONGED OR REPEATED CONTACT WITH EYES OR SKIN MAY CAUSE
IRRITATION. INJECTION UNDER SKIN CAUSES LOCAL
NECROSIS.

VAPORS/MISTS MAY IRRITATE RESPIRATORY TRACT. THIS PRODUCT HAS LOW
ORDER OF ACUTE ORAL TOXICITY, BUT MINUTE AMOUNTS ASPIRATED INTO
LUNGS MAY CAUSE INJURY. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE.

Effects of Overexposure:IRRITATION, REDNESS, SWELLING, TISSUE DAMAGE,
NAUSEA, VOMITING, PAIN

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING SKIN
DISORDERS MAY BE MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO
THIS PRODUCT.

=====

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH
AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN.
SKIN:WIPE OFF EXCESS & WASH SKIN WITH MILD SOAP & WATER OR
WATERLESS CLEANER . IF INJECTED UNDER SKIN, REGARDLESS OFITS SIZE,
CONTACT A PHYSICIAN IMMEDIATELY. DELAY MAY CAUSE LOSS OF AFFECTED
PART OF BODY. ORAL:DO NOT INDUCE VOMITING. CALL PHYSICIAN
IMMEDIATELY.

=====

== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:435F,224C

Lower Limits:0.9%

Upper Limits:7.0%

Extinguishing Media:WATER FOG/SPRAY, CARBON DIOXIDE, SAND, FOAM/DRY
CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS
COOL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND
NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

=====

Spill Release Procedures:SCOOP UP EXCESS GREASE. PICK-UP RESIDUE WITH
NON-FLAMMABLE ABSORBENT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED, LOW
FIRE RISK AREA. PROTECT FROM HEAT, OPEN FLAMES AND INCOMPATIBLE
MATERIALS. KEEP CONTAINERS CLOSED.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED.

Ventilatio

n:GENERAL (MECHANICAL) VENTILATION.

Protective Gloves:NITRILE, PVA.

Eye Protection:SAFETY GOGGLES.

Other Protective Equipment:OIL RESISTANT APRON.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. LAUNDER
CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NONE.

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>550F, >288C

Vapor Pres:5

Spec Gravity:0.90 - 0.91

Evaporation Rate & Reference: