

VANSON HOLLAND INK CORPORATION OF AMERICA -- V2O81; EASY STREET, PRESS CLEANER --
6850-01-293-7736

===== Product Identification =====

Product ID:V2O81; EASY STREET, PRESS CLEANER

MSDS Date:09/01/1991

FSC:6850

NIIN:01-293-7736

MSDS Number: BJZMD

=== Responsible Party ===

Company Name:VANSON HOLLAND INK CORPORATION OF AMERICA

Address:92 UNION STREET

City:MINEOLA

State:NY

ZIP:11501-3428

Country:US

Info Phone Num:516-294-8811

Emergency Phone Num:516-294-8811 & 800-645-4182

CAGE:EO322

=== Contractor Identification ===

Company Name:VAN SON HOLLAND INK CORP

Address:92 UNION STREET

City:MINEOLA

State:NY

ZIP:11501-3428

Country:US

Phone:516-294-8811

CAGE:55269

Company Name:VANSON HOLLAND INK CORPORATION OF AMERICA(DISTRIBO

Address:92 UNION STREET

City:MINEOLA

State:NY

ZIP:11501-3428

Country:US

Phone:516-294-8811

CAGE:EO322

Company Name:YOUNG PHILIPS SALES CO

Address:5120 GLEN ALDEN DRIVE

Box:CI

ty:RICHMOND
State:VA
ZIP:23231
Country:US
Phone:804-226-1212
CAGE:4L136

=====
Composition/Information on Ingredients
=====

Ingred Name:DIETHYL PHTHALATE (SARA III)
CAS:84-66-2
RTECS #:TI1050000
Fraction by Wt: 33.0%
Other REC Limits:NONE SPECIFIED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:OTHER COMPONENTS (TYPE NOT SPECIFIED)
Other REC Limits:NONE SPECIFIED

Ingred Name:ROSIN ESTER
CAS:65997-13-9
Fraction by Wt: 40-55%
Oth
er REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

LD50 LC50 Mixture:NOT SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:DIRECT SKIN CONTACT MAY CAUSE EYE
IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE MINOR SKIN
IRRITATION.
Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS
CURRENTLY CLASSIFIED AS CA
RCINOGENIC BY NTP, IARC OR OSHA.
Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION.
Medical Cond Aggravated by Exposure:PERSONS WITH DERMATITIS SHOULD
AVOID SKIN CONTACT.

=====
First Aid Measures
=====

First Aid:IN CASE OF EYE CONTACT, FLUSH WITH WATER. IF SWALLOWED, DO
NOT INDUCE VOMITING. CONSULT PHYSICIAN. IN CASE OF SKIN CONTACT,
WASH WITH SOAP AND WATER.

=====
Fire Fighting Measures
=====

Flash Poi

nt Method:COC

Flash Point:350F,177C

Extinguishing Media:FOAM, CARBON DIOXIDE, WATER FOG

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE NOTED; COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures

:USE PROPER PERSONAL PROTECTION. CONTAIN FREE MATERIAL IF POSSIBLE. USE SUITABLE INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL IN AN APPROVED CONTAINER.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID

PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED IF USED WITH ADEQUATE VENTILATION.

USE NIOSH/MSHA APPROVED RESPIRATOR AS REQUIRED IF ABOVE PEL/TLV.

Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV.

Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBER

Eye Protection:SAFETY GOGGLES WI

TH OPTIONAL FACE SHIELD

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED EXPOSURE. DO NOT GET ON SKIN OR IN EYES. DO NOT BREATHE VAPORS OR MISTS.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B

.P. Text:560F,293C
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN
Vapor Pres:NOT GIVEN
Vapor Density:> 1
Spec Gravity:NOT GIVEN
Evaporation Rate & Reference:< 1 (BUTYL ACETATE = 1)
Solubility in Water:NOT GIVEN
Appearance and Odor:VISCOUS AMBER PASTE
Percent Volatiles by Volume:1 -2%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE NOTED
Stability Condition to Avoid:HIGH HEAT
Hazardous Decomposition Products:NONE NOTED

=====
===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES. DISPOSAL MUST BE MADE
IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.