View NSN Online: https://aerobasegroup.co.il/nsn/6810-00-240-2125

Product ID:SODIUM SILICATE "N" SOLUTION MSDS Date:04/23/1987 FSC:6810 NIIN:00-240-2125 MSDS Number: BJZSX === Responsible Party === Company Name: INDUSTRIAL CORPORATION Address:2655 INGALLS STREET City:SAN FRANCISCO State:CA ZIP:94124 Country:US Info Phone Num:415-822-5070 **Emergency Phon** e Num:415-822-5070 CAGE: IO698 === Contractor Identification === **Company Name: INDUSTRIAL CORPORATION** Address:2655 INGALLS STREET Box:City:SAN FRANCISCO State:CA ZIP:94124 Country:US Phone:415-822-5070 CAGE:IO698

Ingred Name:NONHAZARDOUS INGREDIENTS Other REC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenic

ity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CAUSES IRRITATION TO EYES, SKIN, THROAT AND STOMACH.

First Aid:EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR A T LEAST 15 MIN. CALL A PHYSICIAN. SKIN: FLUSH WITH WATER. IF SWALLOWED: DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF WATER OR MILK. CALL A PHYSICI AN.

Flash Point :NA

Spill Release Procedures:SINKS AND MIXES WITH WATER. SMALL QUANTITIES: LESS (100 GL) MOP UP AND FLUSH TO SEWER WITH PLENTY OF WATER. LARGE QUANTITES: ISOLATE, DIKE AND STORE DISCHARGED MATERIAL, IF POSSIBLE. OTHERWISE DISPERS E AND FLUSH WITH WATER. Neutralizing Agent:DILUTE ACID.

Handling and Storage Precautions: STORE IN COOL DRY AREA.

====

Respiratory Protection: USE NIOSH APPROVED MIST RESPIRATOR WHERE SPRAY OCCURS.

Protective Gloves: RUBBER.

Eye Protection: CHEMICAL GOGGLES AND/OR FACE SHIELD.

Other Protective Equipment:SAFETY SHOWER AND EYEWASH FOUNTAIN SHOULD BE WITHIN DIRECT ACCESS.

Work Hygienic Practices: AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH TOHOROGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Healt

HCC:N1 Spec Gravity:1.3 TO 1.5 pH:11-13 Solubility in Water:COMPLETE Appearance and Odor:VISCOUS LIQUID, COLORLESS TO HAZY.

Stability Indicator/Materials to Avoid:YES GELS WHEN MIXED WITH ACID. Stability Condition to Avoid:FLAMMABLE HYDROGEN GAS MAY BE PRODUCED ON PROLONGED COTACT WITH METALS SUCH AS ALUMINUM, TIN, LEAD AND ZINC. Hazardous Decompositi on Products:HYDROGEN.

Waste Disposal Methods:SMALL SPILL: FLUSH TO SEWER WITH PLENTY OF WATER. LARGE SPILL: NEUTRALIZE WITH DILUTE ACID AND LANDFILL SOLIDS ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, exp

ressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.