

AIRKEM PROFESSIONAL PRODUCTS, DIV OF ECOLAB, INC -- EXTRACTION-TEX, CARPET  
EXTRACTOR DETERGENT -- 7930-01-105-9027

=====  
Product Identification  
=====

Product ID:EXTRACTION-TEX, CARPET EXTRACTOR DETERGENT

MSDS Date:04/07/1988

FSC:7930

NIIN:01-105-9027

MSDS Number: BJZYM

=== Responsible Party ===

Company Name:AIRKEM PROFESSIONAL PRODUCTS, DIV OF ECOLAB, INC

City:ST PAUL

State:MN

ZIP:55102

Country

:US

Info Phone Num:612-451-4115

Emergency Phone Num:800-328-0026

CAGE:AIRKE

=== Contractor Identification ===

Company Name:AIRKEM PROFESSIONAL PRODUCTS/DIV OF ECOLAB INC

Address:ECOLAB CENTER

City:ST. PAUL

State:MN

ZIP:55102

Country:US

Phone:800-328-0026

CAGE:AIRKE

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 3%

Other REC Limits:980 MG/M3 \*

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:SKIN AND EYES: MAY CAUSE IRRITATION.  
INGESTION: MAY CAUSE STOMACH DISTRESS, NAUSEA OR VOMITING.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH IMMEDIATELY WITH PLENTY OF COOL RUNNING WATER.  
REMOVE CONTACT LENSES. CONTINUE FLUSHING FOR 15 MINUTES. SKIN:  
FLUSH SKIN WITH  
PLENTY OF COOL RUNNING WATER. WASH THOROUGHLY WITH  
SOAP & WATE R. INGESTION: RINSE MOUTH; DRINK 1 OR 2LARGE GLASSES OF  
WATER. DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN  
UNCONSCIOUS PERSON. IF IRRITATION OR DISCOMFORT PERSISTS, CALL A  
PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Fire Fighting Procedures:PRODUCT DOES NOT SUPPORT COMBUSTION.  
Unusual Fire/Explosion Hazard:NONE.

=====  
Accidental Relea  
se Measures  
=====

Spill Release Procedures:CLEANUP: DIKE OR DAM LARGE SPILLS. PUMP TO  
CONTAINERS OR SOAK UP ON INERT ABSORBENT. FLUSH RESIDUE TO SANITARY  
SEWER.

=====  
Exposure Controls/Personal Protection  
=====

Work Hygienic Practices:NO REQUIREMENTS BEYOND STANDARD INDUSTRIAL  
HYGIENE PRACTICES.  
Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

Boiling Pt:B.P. Text:>212F,>100C  
Spec Gravity:1.025-1.

045

pH:9.5\*

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR LIQUID, CHARACTERISTIC FRAGRANCE.

Corrosion Rate:\*TO 10.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:DO NOT MIX WITH ANYTHING BUT WATER.

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT STATE AND LOCAL AUTHORITIES FOR  
RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE.

Disclaimer (pr

vided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.