

CREST PRODUCTS CORP -- CREST 2079B -- 8040-00-846-3351

=====  
Product Identification  
=====

Product ID:CREST 2079B  
MSDS Date:12/03/1990  
FSC:8040  
NIIN:00-846-3351  
Kit Part:Y  
MSDS Number: BKJQP  
=== Responsible Party ===  
Company Name:CREST PRODUCTS CORP  
Address:10550 LAWSON RIVER AVENUE  
City:FOUNTAIN VALLEY  
State:CA  
ZIP:92708  
Country:US  
Info Phone Num:714-965-9292  
Emergency Phone Num:714-965-9292  
Pr  
eparer's Name:RICHARD ROY  
CAGE:34469  
=== Contractor Identification ===  
Company Name:CREST PRODUCTS CORP  
Address:2000 S SUSAN ST  
Box:City:SANTA ANA  
State:CA  
ZIP:92704-4415  
Country:US  
Phone:714-965-9292  
CAGE:34469

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYAMIDE RESIN  
CAS:68410-23-1  
Fraction by Wt: 40-60%

Ingred Name:VOC 0 GRAMS/LITER  
RTECS #:9999999VO

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO

Skin: YES Ingestion: NO

Health Hazards Acute and Chronic: SKIN: NOT CONSIDERED TOXIC BY SKIN ABSORPTION, BUT MAY CAUSE IRRITATION. INGESTION: MAY CAUSE GASTROINTESTINAL IRRITATION AND BURNS TO MOUTH AND THROAT. INHALATION: DUE TO THE LOW PRESSURE; NOT CONSIDERED AS A HAZARD. USE IN WELL VENTILATED AREAS. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR.

Effects of Overexposure: CAUSES SKIN AND EYE IRRITATION.

=====  
===== First Aid Measures =====

First Aid: EYES: FLUSH WITH CLEAR WATER IMMEDIATELY FOR 15 MINUTES. CALL PHYSICIAN. SKIN: WASH MATERIAL FROM SKIN WITH SOAP AND WATER. WASH CONTAMINATED CLOTHING. INGESTION: DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF MILK OR WATER. CALL PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point: 346F, 174C

Autoignition Temp: Autoignition Temp Text: 800 F

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL OR WATER.

Fire Fighting Procedures: MATERIALS

WILL NOT BURN UNLESS PREHEATED. DO

NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR WITH SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: OXIDIZER OF NITROGEN AND CARBON FORMED UPON BURNING.

=====  
===== Accidental Release Measures =====

Spill Release Procedures: ABSORB MATERIAL WITH SAND OR VERMICULITE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions: DO NOT EXPOSE TO EXCESSIVE MOISTURE AS

CONTAMINATION OF THE PRODUCT WILL OCCUR.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection: MAY USE ORGANIC CHEMICAL CARTRIDGE RESPIRATOR IF NEEDED DUE TO POOR VENTILATION.

Ventilation: USE EXHAUST; USE IN WELL VENTILATED AREA.

Protective Gloves: RUBBER GLOVES RECOMMENDED.

Eye Protection: SAFETY GLASSES OR GOGGLES.

Other Protective Equipment: APRON IF NEEDED FOR CLOTHING PROTECTION.

Supplemental Safety and Health

=====  
===== Physi

cal/Chemical Properties =====

Boiling Pt:B.P. Text:400F,204C

Melt/Freeze Pt:M.P/F.P Text:0F,-18C

Decomp Temp:Decomp Text:600F,316C

Vapor Pres:.1 @ 77 C

Vapor Density: