View NSN Online: https://aerobasegroup.com/nsn/6810-00-082-2644

DOW CHEMICAL U.S.A. -- CALCIUM CHLORIDE PELLETS 90 (BULK) -- 6810-00-082-2644

======== Product Identification ============

Product ID:CALCIUM CHLORIDE PELLETS 90 (BULK)

MSDS Date:06/18/1990

FSC:6810

NIIN:00-082-2644

MSDS Number: BKKBQ === Responsible Party ===

Company Name: DOW CHEMICAL U.S.A.

City:MIDLAND

State:MI ZIP:48674 Country:US

Info Phone Num:517-636-4400

Emergency Phone Num:800-258-2436

CAGE:71954

=== Contractor Identification ===

Company Name: DOW CHEMICAL U.S.A.

Address:2020 DOW CENTER

City:MIDLAND

State:MI ZIP:48674

Phone: (517) 636-4400

CAGE:71954

Company Name: DOW CHEMICAL U.S.A.

City:MIDLAND

State:MI ZIP:48674 Country:US

Phone:517-636-4400

CAGE:71983

======= Composition/Information on Ingredients ========

Ingred Name: CALCIUM CHLORIDE

CAS:10043-52-4 RTECS #:EV9800000 Fraction by Wt: 90-92%

Other REC Limits: DOW STATES: 10 MG/M3

Ingred Name: SODIUM CHLORIDE

CAS:7647-14-5

RT

ECS #:VZ4725000 Fraction by Wt: 1-2%

Other REC Limits: DOW STATES: 10 MG/M3

Ingred Name:POTASSIUM CHLORIDE

CAS:7447-40-7

RTECS #:TS8050000 Fraction by Wt: 2-3%

Other REC Limits: DOW STATES: 10 MG/M3

Ingred Name: STRONTIUM CHLORIDE

CAS:10476-85-4 RTECS #:WK8400000 Fraction by Wt: 1%

Other REC Limits: NONE SPECIFIED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: BAL.

Other REC Limits: NONE SPECIFIED

========== Hazards Identification ==============

LD50 LC50 M

ixture:LD50 SKIN:>5000MG/KG(RAB);ORAL 900-2100 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: MODERATE TO SEVERE EYE IRRIT

W/CORNEAL INJURY/MAY BE SLOW TO HEAL. EYE/SKIN: WHEN DISSOLVING,

THE HEAT PRODUCED MAY CAUSE MORE INTENSE EFFECTS AS WELL AS THERMAL

BURNS. SKIN: SHORT SINGLE EXPOSUR E NOT LIKELY TO CAUSE SIGNIFICANT

SKIN IRRITATION. PROLONGED OR REPEATED EXPOSURE MAY CAUSE S

KIN

IRRIT, EVEN BURNS. MAY

Explanation of Carcinogenicity:MG/KG (RAT)

Effects of Overexposure: CAUSE MORE SEVERE RESPONSE IF SKIN IS DAMP AND/OR ABRADED, OR IF MAT'L IS CONFINED TO SKIN. SKIN ABSORPTION: A SINGLE PROLONGED EXPOSURE IS NOT LIKELY TO RESULT IN THE MAT'L BEING ABSORBED THROUGH SKI N IN HARMFUL AMOUNTS. INGESTION: GASTROINTESTINAL IRRITATION OR ULCERATION. INHALE: UPPER RESPIRATORY TRACT IRRITATION.

=======

First Aid:EYES: IRRIGATE W/FLOWING WATER IMMEDIATELY & CONTINUOUSLY-15 MIN. GET MEDICAL AID. SKIN: WASH OFF IN FLOWING WATER OR SHOWER. INGESTION: IF SWALLOWED, INDUCE VOMITING IMMEDIATELY BY GIVING TWO GLASSES WATER & STICKING FINGER DOWN THROAT. CALL PHYSICIAN. (NEVER GIVE ANYTHING BY MOUTH OR TRY TO INDUCE VOMIT IN UNCONSCIOUS PERSON). INHALE: REMOVE TO FRESH AIR IF EFFECTS OCCUR. CONSULT PHYSICIAN

PHYSICIAN.
======================================
Flash Point:NA Extinguishing Media:NON-COMBUSTIBLE. Fire Fighting Procedures:WEAR POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures =========
Spill Release Procedures:NOT HARMFUL W/NORMAL USE. WEAR APPROP SAFETY APPAREL DURING CLEAN-UP. AVOID ENTRY OF LG AMT OF PRODUCT INTO WATER SOURCES. AVOID CONTACT W/VEGETATION, ANIMALS & FISH LIFE. RECOVER QUICKLY INTO SUITABL E, DR Y, SEALABLE CONTAINERS IF REUSING.
Neutralizing Agent:N/K THOROUGHLY WATER WASH WALKING SURFACES.
=========== Handling and Storage =============
Handling and Storage Precautions: AVOID EYE AND PROLONGED SKIN CONTACT. ALWAYS USE COOL WATER (TEMP. LESS THAN 80 F, 27 C) WHEN DISSOLVING CALCIUM CHLORIDE.
Other Precautions:HEAT DEVELOPED BY SOLUTIONS IS VERY HIGH DURING DISSOLVING AND MIXING. WHEN EXPOSED TO THE ATMOSPHERE, CALCIUM CHLORIDE WILL PICK UP WATER AND FORM A SOLUTION. LEATHER CLOTHING AND SHOES WILL BE DAMAG ED BY CALCIUM CHLORIDE.
===== Exposure Controls/Personal Protection =======

Respiratory Protection:ATMOSPHERIC LEVELS SHOULD BE MAINTAINED BELOW THE EXPOSURE GUIDELINE. WHEN RESPIRATORY PROTECTION IS REQUIRED FOR CERTAIN OPERATIONS, USE AN APPROVED AIR-PURIFYING RESPIRATOR. IN DUSTY ATMOSPHERES, US E AN APPROVED DUST RESPIRATOR.

Ventilation:PROVIDE GENERAL AND/OR LOCAL EXHAUST VENTILATION TO CONTROL

AIRBORNE LEVELS BELOW THE EXPOSURE GUIDELINES.

Protective Gloves: MAY NEED GLOVES DEPENDING ON OPERATION.

Eye Protection: SAFETY GLASSES, CHEMICAL GOGGLES.

Other Protective Equipment:BOOTS, APRON OR FULL-BODY SUIT WILL DEPEND ON OPERATION. EYE WASH FOUNTAIN SHOULD BE LOCATED IN IMMEDIATE WORK AREA.

Supplemental Safety and Health

IF SKIN COMES IN CONTACT W/CONTAMINATED CLOTHING, REMOVE CLOTHING IMMEDIATELY, WASH SKIN AREA W/SOAP & WATER AND LAUNDER CLOTHING BEFORE REUSE.

_	_	_	_	_	_
_	_	_	_	_	_

====== Physical/Chemical Properties =========

HCC:N1

Boiling Pt:B.P. Text:388F,198C

Melt/Freeze Pt:M.P/F.P Text:446F,230C

Decomp Temp:Decomp Text:>350F,>177C

Vapor Pres:0.009 MMHG

Spec Gravity:2.2

Evaporation Rate & Evaporation R

Solubility in Water: VERY SOLUBLE

Appearance and Odor: WHITE TO OFF-WHITE, SOLID-PELLETS; ODORLESS.

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES MOST METALS, SULFURIC ACID, WATER REACTIVE MATERIALS, METHYL VINYL ETHER, ZINC.

======= Disposal Considerations =============================

Waste Disposal Methods:SMALL QUANTITIES MAY BE FLUSHED AWAY W/PLENTY OF WATER. COMPLY W/LOCAL, STATE & FEDERAL REGULATIONS, LAWS & PROCEDURES. CONTACT MFR & AUTHORITIES FOR DETAILED INFORMATION. PRODUCT AS SOLD IS NOT A RCR A LISTED OR CHARACTERISTIC HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies): This informati

on is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.