View NSN Online: https://aerobasegroup.co.il/nsn/6810-01-198-9398

## AMC AGRICULTURAL MINERALS CORPORATION -- UREA -- 6810-01-198-9398

Product ID:UREA

MSDS Date:04/01/1989

FSC:6810

NIIN:01-198-9398

MSDS Number: BKKKL === Responsible Party ===

Company Name: AMC AGRICULTURAL MINERALS CORPORATION

Country:US CAGE:AMC00

=== Contractor Identification ===

Company Name: AMC AGRICULTURAL MINERALS CORPORATION

Country:US CAGE:AMC00 Company

Name:LARIMORE CROP SUPPLY INC

Address:1102 HENDERSON ST

Box:City:BLYTHEVILLE

State:AR

ZIP:72315-5227 Country:US CAGE:3J301

======= Composition/Information on Ingredients ========

Ingred Name:UREA

CAS:57-13-6

RTECS #:YR6250000 Fraction by Wt: 97 - 99%

Other REC Limits: NONE SPECIFIED

Ingred Name:BIURET Fraction by Wt: 0.5 - 2%

Other REC Limits: NONE SPECIFIED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 0.1-0.3%

Other REC Limits: NONE SPECIFIED

===========

LD50 LC50 Mixture:LD50 (ORAL RAT) IS 14300 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-AT HIGH DUST CONCENTRATIONS,IRRITATION OF EYES,SKIN & MUCOUS MEMBRANES BY CHEMICAL/MECHANICAL ACTION MAY OCCUR.CHRONIC-NONE FOUND. Effects of Overexposure:SEE HEALTH HAZARDS SECTION. Medical Cond Aggravated by Exposure:NONE
===== First Aid Measures ====================================
First Aid:GET MEDICAL ATTENTION.INHALATION:REMOVE TO FRESH AIR.EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN.SKIN:WASH WITH WATER AND MILD DETERGENT.INGESTION:IF CONSCIOUS,GIVE LARGE AMOUNT OF WATER TO DRINK AND INDUCE VOMITING.
======================================
Flash Point:NONE Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Proce dures:WEAR SELF-CONTAINED, POSITIVE-PRESSURE BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:CYANURIC ACID, AMMONIA, BIURET AND NITROGEN OXIDES
========= Accidental Release Measures ============
Spill Release Procedures:RECOVER AND USE AS FERTILIZER. PREVENT LARGE QUANTITIES FROM CONTACT WITH WATERWAYS OR VEGETATION. Neutralizing Agent:NOT APPLICABLE.
======================================
Handling and Storage Precautions:STORAGE-NO UNUSUAL PRECAUTIONS NECESSARY. Other Precautions:SPILLED UREA, WET OR DRY, CAN CAUSE SLIPPERY
CONDITIONS. MAY BE TOXIC TO CATTLE WHEN INGESTED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: USE NIOSH-APPROVED DUST RESPIRATOR (EITHER SINGLE USE OR MULTIPLE USE) WHEN APPLICABLE DUST STANDARDS ARE EXCEEDED.
Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:NEOPRENE, NITRILE, OR NATURAL RUBBE

==== Hazards Identification =========

R Eye Protection: SAFETY GOGGLES Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER, WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health ======== Physical/Chemical Properties =========== HCC:N1 Melt/Freeze Pt:M.P/F.P Text:275F,135C Decomp Temp:Decomp Text:275F,135C Spec Gravity:1.320 Solubility in Water: COMPLETE Appearance and Odor: WHITE OR TAN, GRANUL AR SOLID, ODORLESS ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES HYPOCHLORITE BLEACH REACTS WITH UREA TO FORM NITROGEN TRICHLORIDE WHICH EXPLODES SPONTANEOUSLY IN AIR. Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES Hazardous Decomposition Products: AMMONIA, CYANURIC ACID, BIURET,

NITROGEN OXIDES

========== Disposal Considerations =================

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH L OCAL. STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of thi

