Product ID:850/895/760/790 TONER

MSDS Date:01/06/1987

FSC:6850

NIIN:01-207-3930

MSDS Number: BKLMJ === Responsible Party === Company Name:SAVIN CORP. Address:9 WEST BROAD STREET

Box:12070 City:STAMFORD

State:CT

ZIP:06904-2270

Country:US

Info Phone Num:301-921-8503

Emergency Phone Num:301-921-8503

CAGE:29

382

=== Contractor Identification ===

Company Name: MCKENDREE W I CO

Address:4210 COLLEY AVE

Box:6223

City:NORFOLK

State:VA

ZIP:23508-2508

Country:US

CAGE:7E267

Company Name:SAVIN CORP. Address:9 WEST BROAD STREET

Box:12070

City:STAMFORD

State:CT

ZIP:06904-2270 Country:US

Phone:203-967-5000

CAGE:29382

====== Composition/Information on Ingredients ========

Ingred Name: HYDROTREATED HEAVY NAPHTHA

CAS:64742-48-9 Fraction by Wt: 90%

Other REC Limits: NONE SPECIFIED

Ingred Name: ACRYLIC

RESINS (CAS NUMBER CONFIDENTIAL) Fraction by Wt: 6% Other REC Limits: NONE SPECIFIED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3 Ingred Name: CARBON BLACK CAS:1333-86-4 RTECS #:FF5800000 Fraction by Wt: 5% Other REC Limits: NONE SPECIFIED OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 9192 ========= Hazards Identification =============== Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE ORAL TOXICITY: GREATER THAN 6 G/KG BODYWEIGHT. SKIN IRRITATI ON (RABBIT): NOT IRRITANT. Explanation of Carcinogenicity: THIS PRODUCT IS NOT A CARCINOGEN. Effects of Overexposure: HIGH VAPOR CONCENTRATIONS (GREATER THAN APPROXIMATELY 1000 PPM) ARE IRRITATIVE TO THE EYES AND THE RESPIRATORY TRACT, MAY CAUSE HEADACHES AND DIZZINESS, ARE ANESTHETIC, AND MAY HAVE OTHER CENTRAL NERV OUS SYSTEM EFFECTS. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. ----- First Aid Measures -----First Aid:EY E-FLUSH WITH CLEAR WATER FOR 15 MINUTES OR UNTIL IRRITATION RESIDES. SKIN-REMOVE CONTAMINATED CLOTHING & WASH SKIN THROUGHLY WITH SOAP & WATER. INHALE-REMOVE FROM EXPOSURE & CALL A PHYSICIAN IMMEDIA TELY. INGEST-DO NOT INDUCE VOMITING; CALL A PHYSICIAN IMMEDIATELY.

=========== Fire Fighting Measures ===============

Flash Point Method:TCC Flash Point:106F,41C Lower Limits:0.7 Upper Limits:6.5

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY

C

HEMICAL. Fire Fighting Procedures:USE WATER SPRAY TO DISPERSE VAPORS & TO FLUSH SPILLS AWAY FROM EXPOSURE. USE SUPPLIED-AIR BREATHING EQUIPMENT FOR ENCLOSED AREAS. Unusual Fire/Explosion Hazard:MINIMIZE BREATHING GASES, VAPORS, FUMES OR DECOMPOSITION PRODUCTS.
========= Accidental Release Measures ==========
Spill Release Procedures:SHUT OFF & ELIMINATE IGNITION SOURCES. RECOVER FREE PRODUCT. ADD SAND, EARTH OR ABSORBENT TO SPILL AREA. MINIMIZE BREATHING VAPORS & SKIN CONTACT. OPEN ALL WINDOWS/DOORS. KEEP PRODUCT OUT OF SEWERS/WA TER BY DIKING OR IMPOUNDING.
============ Handling and Storage ==============
Handling and Storage Precautions:KEEP AWAY FROM HEAT, OPEN FLAMES SPARKS. KEEP OUT OF REACH OF CHILDREN. Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT PRESSURE OR EXPOSURE SUCH CONTAINER TO HEAT, FLAME, ETC. THEY MAY EXPLODE.
====== Exposure Controls/Personal Protec tion ========
Respiratory Protection:NONE NEEDED UNDER NORMAL USE CONDITION. Ventilation:USE ADEQUATE MECHANICAL VENTILATION. Protective Gloves:NONE NEEDED UNDER NORMAL USE CONDITION. Eye Protection:NONE NEEDED. Other Protective Equipment:NONE NEEDED. Work Hygienic Practices:CLEANSE SKIN THROUGHLY AFTER CONTACT, BEFORE BREAKS & MEALS, & AT THE END OF WORK PERIOD BY USING SOAP & WATER. Supplemental Safety and Health MINIMIZE BREATHING VAPOR OR MIST. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. REMOVE CONTAMINATED CLOTHING; LAUNDER OR DRY-CLEAN BEFORE REUSE. REMOVE CONTAMINATED SHOES AND THOROUGHLY CLEAN & DRY B EFORE REUSE.*******THIS IS PART B OF A TWO PART KIT.*******
========= Physical/Chemical Properties ==========
HCC:F4 Boiling Pt:B.P. Text:356F,180C

Vapor Pres:5 Spec Gravity:0.75

Evaporation Rate & Description Rate & Reference: APPROX. 0.3 Solubility in Water: NEGLIGIBLE; < 0.1

Appearance and Odor:BLACK LIQUID, NO ODOR

======= Stability an

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS SUCH AS LIQUID CL2 OR CONCENTRATED 02.
Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES
OF IGNITION
Hazardous Decomposition Products:CARBON MONOXIDE AND OTHER

DECOMPOSITION PRODUCTS IN CASE OF INCOMPLETE COMBUSTION.

======= Disposal Considerations ===========

Waste Disposal Methods: WASTE LIQUID SHOULD BE DISPOSED OF IN AN **ENVIRONMENTALLY SAF**

E MANNER AND IN ACCORDANCE WITH GOVERNMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for t

he suitability of this information to their particular situation.

d Reactivity Data ========