

DOW CORNING CORPORATION -- DOW CORNING 200 FLUID, 350 CST -- 9150-00-851-4257
===== Product Identification =====

Product ID:DOW CORNING 200 FLUID, 350 CST

MSDS Date:12/05/1978

FSC:9150

NIIN:00-851-4257

MSDS Number: BLCZY

=== Responsible Party ===

Company Name:DOW CORNING CORPORATION

Address:3901 S. SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

Country:US

Info Phone Num:517-636-8393

Emergency Phone N

um:517-496-5900

Preparer's Name:DOD-HMIS (DGSC-SSH)

CAGE:5D028

=== Contractor Identification ===

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:486

11
Country:US
Phone:517-496-4388
CAGE:71984

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYDIMETHYL SILOXANE
CAS:9016-00-6
RTECS #:TQ2690000
Fraction by Wt: 100%

=====
Hazards Identification
=====

Health Hazards Acute and Chronic:
Effects of Overexposure:MAY CAUSE TEMPORARY DISCOMFORT TO EYES
Medical Cond Aggravated by Exposure:.

=====
First Aid Measures
=====

First Aid:FOR EYES,F
LUSH WITH WATER FOR SKIN CONTAC WASH WITH SOAP &
WATER.

=====
Fire Fighting Measures
=====

Flash Point:>250F/121C (O.C)
Lower Limits:UNKN
Upper Limits:UNKN
Extinguishing Media:CO*2,OR FOAM
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:MOP,WIPE OR SOAK WITH ABSORBENT MATERIAL

=====
Handling and Storage
=====

Handling and Storage Precautions:USE REASONABLE CARE FOR HANDLING THIS
ITEM
Other Precautions:AVOID EYE OR SKIN CONTACT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY
CONDITIONS/ADEQUATE VENT.
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE
VENTILATION
Protective Gloves:AS REQUIRED
Eye Protection:SAFETY GLASSES
Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.
Work Hygieni

c Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID
UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

MSDS DATED 12/5/78. *MSDS COPIED FROM ANOTHER DOW CORNING DAMPING FLUID
AND VENDOR ADDED AFTER VENDOR IDENTIFIED SOURCE OF MATERIAL
SUPPLIED.*

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>300F/149C

Vapor Pres: