

BAKER SEALANTS AND COATINGS CO -- PAPER LABEL ADHESIVE -- 8040-00-281-9244

=====
Product Identification
=====

Product ID:PAPER LABEL ADHESIVE

MSDS Date:01/01/1987

FSC:8040

NIIN:00-281-9244

MSDS Number: BLJHJ

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Info Phone Num:201-333-6986 / FAX 201-333-6955

Emergency Phone Num:201-333-6986

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

=====
Composition/Information on Ingredients
=====

Ingred Name:VEHICLE

Fraction by Wt: 15%

Other REC Limits:NONE

SPECIFIED

Ingred Name:VM & P NAPHTHA, SOLVENTS

CAS:8030-30-6

RTECS #:DE3030000

Fraction by Wt: 85%

Other REC Limits:NONE SPECIFIED

ACGIH TLV:500 PPM

=====
Hazards Identification
=====

Effects of Overexposure:GROGGINESS, DIZZINESS, NAUSEA.

=====
First Aid Measures
=====

First Aid:TAKE INTO FRESH AIR.

=====
Fire Fighting Measures
=====

Flash Point:>50.0F,10.0C

Lower Limits:.90

Upper Lim

its:6.0

Extinguishing Media:CO2, DRY CHEMICAL EXTINGUISHER.

Unusual Fire/Explosion Hazard:CAN GENERATE CARBON MONOXIDE BY
INCOMPLETE BURNING.

=====
Accidental Release Measures
=====

Spill Release Procedures:KEEP AWAY FROM OPEN FLAME. USE NORMAL CLEAN UP
AS RAPIDLY AS POSSIBLE.

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE WITH OPEN FLAMES PRESENT.
DO NOT STORE ABOVE 90 F.

Other Precaut

ions:KEEP AWAY FROM OPEN FLAME.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:REGULAR RESPIRATORY MASK FOR NAPHTHAS.

Ventilation:USE LOCAL EXHAUST.

Protective Gloves:IF DESIRED.

Eye Protection:GOGGLES.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F2

Boiling Pt:B.P. Text:>250F,121C

Spec Gravity:.750

Evaporation Rate & Reference:7.1 (ETHER = 1)

Solubility in Water:INSOLUBLE

Appearance an

d Odor:COLORLESS LIQUID
Percent Volatiles by Volume:87

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:NORMAL WASTE DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.