

FENWAL INC. -- 39-80055-044 PART A -- 8040-00-776-9603

=====
Product Identification
=====

Product ID:39-80055-044 PART A

MSDS Date:07/01/1985

FSC:8040

NIIN:00-776-9603

Kit Part:Y

MSDS Number: BLJWT

=== Responsible Party ===

Company Name:FENWAL INC.

Address:400 MAIN ST

City:ASHLAND

State:MA

ZIP:01721

Country:US

Info Phone Num:617-881-2000

Emergency Phone Num:617-881-2000

CAGE:0KDPZ

=== Contractor

Identification ===

Company Name:FENWAL INC.

Address:400 MAIN ST

City:ASHLAND

State:MA

ZIP:01721

Country:US

Phone:617-881-2000

CAGE:0KDPZ

=====
Composition/Information on Ingredients
=====

Ingred Name:EPICHLOROHYDRIN (SARA III)

CAS:106-89-8

RTECS #:TX4900000

Fraction by Wt: 0.0013%

Other REC Limits:NONE SPECIFIED

OSHA PEL:S, 5 PPM

ACGIH TLV:S, 2 PPM; 9293

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:N-BUTYL GLYCIDYL ETHER (BGE)

CAS:2426-08-6

RTECS #:TX4200000

Fraction

by Wt: 11%
Other REC Limits:NONE SPECIFIED
OSHA PEL:50 PPM
ACGIH TLV:25 PPM; 9293

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:MODERATELY IRRITATING TO SKIN & EYES.
A SKIN SENSITIZER. MAY PRODUCE OTHER ALLERGIC RESPONSES.

=====
First Aid Measures
=====

First Aid:GET MEDICAL AID IMMED. EYE: FLUSH W/WATER-15 MIN. INHALE:
REMOVE TO FRESH A
IR. GIVE OXYGEN OR CPR IF NECESSARY. SKIN: WASH
W/SOAP & WATER. REMOVE CONTAM CLOTHING & CLEAN BEFORE REUSE. DO NOT
REUSE LEA THER ARTICLES. IF IRRIT PERSISTS, GET MEDICAL AID.
INGEST: DO NOT GIVE LIQUIDS IF UNCONSCIOUS OR DROWSY, OTHERWISE,
GIVE NO MORE THAN 2 GLASSES WATER & INDUCE VOMIT. KEEP HEAD BELOW
HIPS WHILE VOMIT.

=====
Fire Fighting Measures
=====

Flash Point Method:SCC
Flash Point:164F,73C
Extinguishing Media:CO2, DRY CHEMICAL,
FOAM, WATER FOG.
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR APPROPRIATE PROTECTIVE CLOTHING AND
RESPIRATOR. SCOOP UP EXCESS AND REMOVE. RESIDUAL CAN BE REMOVED
WITH NONFLAMMABLE SOLVENT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR.
Ventilation:LO

CAL & MECHANICAL EXHAUST.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SPLASH-PROOF GOGGLES.

Other Protective Equipment:SAFETY SHOWER AND EYE WASH FACILITIES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity:0.64

Solubility in Water:NEGLIGIBLE

Appearance and Odor:MAROON PASTE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS AND STRONG LEWIS OR MINERAL ACIDS.

Stability Condition to Avoid:STORAGE AT ELEVATED TEMPERATURES OVER LONG PERIODS OF TIME.

Hazardous Decomposition Products:CO, ALDEHYDES, ACIDS, HYDROGEN CHLORIDE.

Conditions to Avoid Polymerization:EXCESSIVE EXOTHERMS WHEN CURED.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN ACCORDANCE WITH LOCAL POLLUTION REGULATIONS AND ORDINANCES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.