

OCTAGON PROCESS INC. -- CUTTING FLUID -- 9150-01-048-9554

=====
Product Identification
=====

Product ID:CUTTING FLUID

MSDS Date:11/27/1991

FSC:9150

NIIN:01-048-9554

MSDS Number: BLJYR

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:UNABLE TO PROVIDE MSDS.

Emergency Phone Num:804-275-4371 (DGSC-SSH)

Preparer's Name:DGSC-SSH

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS:8012-95-1

RTECS #:PY8030000

Other REC Limits:5MG/CUM,AS OIL MIST

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:UNIDENTIFIED COMPONENTS

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Health Hazards Acute and Chronic:ACUTE-IRRITATION OF EYES, SKIN AND RESPIRATOR TRACT. INGESTION MAY BE HARMFUL. CHRONIC-POSSIBLE DERMATITIS, IRRITATION.

Effects of Overexposure:IRRITATION OF EYES,SKIN & RESPIRATORY TRACT OR G.I.TRACT;DERMATITIS AFTER REPEATED EXPOSURE.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY THIS PRODUC

T.

=====
First Aid Measures
=====

First Aid:INHALATION:REMOVE TO FRESH AIR,CALL A PHYSICIAN. EYES:FLUSH WITH PLENTY OF WATER;CALL A PHYSICIAN IF NEEDED. SKIN:WASH WITH PLENTY OF WATER,USE SOAP FOR CLEANING. INGESTION:DO NOT INDUCE VOMITING, CAL L A PHYSICIAN IMMEDIATELY.

=====
Fire Fighting Measures
=====

Flash Point:>200F,>93C

Extinguishing Media:USE FOAM, DRY CHEMICAL, CO*2, OR WATER SPRAY. WATER MAY SP

READ THE FIRE.

Fire Fighting Procedures:WEAR A NIOSH/MSHA-APPROVED SELF-CONTAINED BREATHING APPARATUS OPERATED IN POSITIVE PRESSURE MODE & FULL PROTECTIVE EQUIPMENTS. COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:FIRE MAY FORM FUMES, SMOKES AND HAZARDOUS/IRRITATING/TOXIC DECOMPOSITION PRODUCTS.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE SUITABLE ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL DRY AND WELL VENTILATED AREA; KEEP AWAY FROM HEAT,OPEN FLAME AND OXIDIZERS.

Other Precautions:AVOID BREATHING VAPORS OR MISTS. MINIMIZE CONTACT WITH SKIN. AVOID CONTACT WITH EYES. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT NEEDED

IF THERE IS ADEQUATE VENTILATION. IF
MISTS PRESENT, WEAR A NIOSH-APPROVED SELF-CONTAINED BREATHING
APPARATUS.

Ventilation:LOCAL/GENERAL TO MAINTAIN ADEQUATE VENTILATION.

Protective Gloves:OIL RESISTANT

Eye Protection:GOGGLES

Other Protective Equipment:FULL EYES AND SKIN PROTECTION,APRON AND
BOOTS.

Work Hygienic Practices:AVOID CONTACT WITH EYES & SKIN.

Supplemental Safety and Health

MSDS WAS NOT AVAILABLE FROM THE MANUFACTURER. THE INFORMATION IS
FURNISHED BY THE PROFESSIONALS O

F DGSC-SSH WITHOUT WARRANTY. IT IS

THE USER'S RESPONSIBILITY TO GATHER INFORMATION FROM OTHER SOURCES
AND TO HANDLE THE PRODUCT SAFELY.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>212F,>100C

Spec Gravity: