View NSN Online: https://aerobasegroup.com/nsn/8040-00-833-9563

Product ID:PST-690 PRIMER

MSDS Date:06/04/1991

FSC:8040

NIIN:00-833-9563

Kit Part:Y

MSDS Number: BLKZG === Responsible Party ===

Company Name: POLYMERIC SYSTEMS, INC. Address: WHEATLAND & MASON STREETS

City:PHOENIXVILLE

State:PA ZIP:19460 Country:US

Info Phone Num:215-935-1170/215-935-7123 (FAX)

Emergen

cy Phone Num:215-935-1170 Preparer's Name:E F CLUFF

CAGE:0KND3

=== Contractor Identification ===

Company Name: POLYMERIC SYSTEMS, INC.

Address:723 WHEATLAND STREET

Box:City:PHOENIXVILLE

State:PA ZIP:19460 Country:US

Phone:610-935-1170

CAGE:0KND3

======= Composition/Information on Ingredients ========

Ingred Name: METHYL ISOBUTYL CARBINOL

CAS:108-11-2

RTECS #:SA7350000 Fraction by Wt: 93%

Other REC Limits: NONE SPECIFIED

OSHA PEL:25 PPM ACGIH TLV:25 PPM

Ingred Name: ETHYL POLYSILICATE

CAS:68412-37-3 Fraction by Wt: 5%

Other REC Limits: NONE SPECIFIED

Ingred Name: BUTYL POLYTITANATE

CAS:9022-96-2 Fraction by Wt: 1%

Other REC Limits: NONE SPECIFIED

Ingred Name: VOC: 6.5 LBS/GAL

RTECS #:9999999VO

Other REC Limits: NONE SPECIFIED

Ingred Name: VOC: 780 GRAMS/LITER

RTECS #:9999999VO

Other REC Limits: NONE SPECIFIED

Ingred Name: VOC: 780 GRAMS/LITER

RTECS #:9999999VO

Other REC Limits: NONE SPECIFIED

Routes of Entry:

Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:IRRITATION OF EYES, SKIN AND UPPER

RESPIRATORY TRACT.


Explanation of Carcinogenicity:NO

Effects of Overexposure:ACUTE OVEREXPOSURE: IRRITATION AND ANESTHESIA.
Medical Cond Aggravated by Exposure:EYE, SKIN AND RESPIRATORY DISORDERS
MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING DIFFICULT. INGESTION: WASH OUT MOUTH WITH WATER. CALL A PHYSICIAN.

Flash Point Method:TCC Flash Point:106F,41C Lower Limits:1% Upper Limits:5.5%

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL POWDER, ALCOHOL FOAM. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.



•
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES ACID CHLORIDES AND OXIDIZING AGENTS.
Stability Condition to Avoid:OPEN FLAMES, SPARKS AND EXTREME HEAT.
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,
SILICA AND TITANIA FROM COMBUSTION.

======= Disposal Considerations ===========

Waste Disposal Methods: INCINERATE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situati

on.

by Volume:96