View NSN Online: https://aerobasegroup.co.il/nsn/6750-01-169-1851

EASTMAN KODAK COMPANY -- KODAK HOBBY-PAC COLOR SLIDE KIT BLEACH-FIX, 6750-01-169-1851

Product ID:KODAK HOBBY-PAC COLOR SLIDE KIT BLEACH-FIX, MSDS Date:10/10/1985 FSC:6750 NIIN:01-169-1851 Kit Part:Y MSDS Number: BLRRH === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US Info Phone Num:716-722-5151 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 75-80% Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM GLUTARALDEHYDE BISBISULFITE C

AS:7420-89-5 Fraction by Wt: 20-25% Other REC Limits:NONE SPECIFIED

Ingred Name:GLUTARALDEHYDE CAS:111-30-8 RTECS #:MA2450000 Fraction by Wt: 1-5% Other REC Limits:NONE SPECIFIED OSHA PEL:C 0.2 PPM ACGIH TLV:C 0.2 PPM; 9192

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES-LIQUID MAY CAUSE BURNS. SKIN-MAY CAUSE AN ALLERGIC SKIN
REACTION. INGEST-HARMFUL IF SWALLOWED. MAY CAUSE BURNS OF THE MOUTH AND ESOPHAGUS.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO KNOWN CARCINOGENS OR SUSPECT CARCINOGEN.
Effects of Overexposure:PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE-FLUSH WITH PLENTY OF WATER. GET MEDICAL ATTENTION. SKIN-WASH AR

EA WITH PLENTY OF WATER AND GET MEDICAL ATTENTION IF SYMPTOMS PERSISTS. INGEST-DO NOT INDUCE VOMITING. IF CONSCIOUS GIVE ONE GLASS OF MILK OR WATER. CALL A PHYSICIAN AT ONCE. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point:NONE

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND SELF CONTAINED BREATHING APPARATUS TO PREVENT CONTACT WITH SKIN AND EYES. Unusual Fire/Explosion Hazard:COMBUST

ION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.
======================================
Spill Release Procedures:FLUSH TO SAN ACID-FREE SEWER WITH LARGE AMOUNTS OF WATER.
======================================
Handling and Storage Precautions:AVOID CONTACT WITH STRONG ACIDS. Other Precautions:NONE
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection:NONE SPECI FIED BY MANUFACTURER. Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT TO CONTROL AIRBORNE LEVELS. Protective Gloves:IMPERVIOUS GLOVES SHOULD BE WORN. Eye Protection:SAFETY GLASSES WITH SIDE SHIELD Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health
======================================
HCC:C3 Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:18 MMHG Vapor Density :0.6 Spec Gravity:1.13 pH:6.43 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, COLORLESS SOLUTION; SLIGHT SULFUR DIOXIDE ODOR. Percent Volatiles by Volume:80
======================================
Stability Indicator/Materials to Avoid:YES STRONG ACIDS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:SULFUR DIOXIDE.

Waste Disposal Methods:

DISCHARGE, TREATMENT OR DISPOSAL MUST BE MADE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent profes sional advice to verify and assume responsibility for the suitability of this information to their particular situation.