

MOBIL OIL CORP -- SHC 624 -- 9150-01-124-3316

===== Product Identification =====

Product ID:SHC 624

MSDS Date:09/19/1991

FSC:9150

NIIN:01-124-3316

MSDS Number: BLVCJ

=== Responsible Party ===

Company Name:MOBIL OIL CORP

Address:3225 GALLOWS RD

City:FAIRFAX

State:VA

ZIP:22037-0001

Country:US

Info Phone Num:800-662-4525 (MSDS)

Emergency Phone Num:609-737-4411/CHEMTREC 800-424-9300

CAGE:6G112

===

Contractor Identification ===

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

Company Name:MOBIL OIL CORP

Address:3225 GALLOWS RD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525, 856-224-4644

CAGE:6G112

===== Composition/Information on Ingredients =====

Ingred Name:ALKENES C>10 ALPHA POLYMO (INGREDIENTS 1 & 2 ARE BASE OILS  
>95%)

CAS:68527-08-2

Other REC

Limits:NONE SPECIFIED  
OSHA PEL:5 MG/M3 AS OIL MISTS  
ACGIH TLV:5 MG/M3 AS OIL MISTS

Ingred Name:HEXANEDIOIC ACID, DITRIDECYL ESTER (PERCENTAGE OF  
INGREDIENTS 1 & 2 >95)  
Other REC Limits:NONE SPECIFIED

Ingred Name:DIPHENYLAMINE/BENZENAMINE, N-PHENYL  
CAS:122-39-4  
RTECS #:JJ7800000  
Fraction by Wt: 0.05%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:10 MG/M3  
ACGIH TLV:10 MG/M3; 9192

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS NOT AVAILA  
BLE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:PRACTICALLY

NON-TOXIC.INHALATION:HOT/ENCLOSED SPACES MAY CAUSE RESPIRATORY  
IRRITATION,DIZZINESS,NAUSEA,UNCONSCIOUSNESS.EYES/SKIN:NON-IRRITATIN  
G.INGESTION:NOT EXPECTED TO BE A PROBLEM.CHRONIC-NONE KNOWN.

Effects of Overexposure:PRACTICALLY NON-TOXIC. INHALATION OF HOT VAPORS  
MAY CAUSE RESPIRATORY IRRITATION, DIZZINESS, NAUSEA,

UNCONSCIOUSNESS. INGESTION:NOT EXPECTED TO BE A PROBLEM.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST.INHALATION:REMOVE TO  
FRESH AIR.PROVIDE CPR IF NEEDED.EYES:FLUSH WITH WATER FOR 15  
MINUTES,HOLDING EYELIDS OPEN.SKIN:WASH WITH SOAP &  
WATER.INGESTION:NOT EXPECTED T O BE A PROBLEM.IF UNCOMFORTABLE,SEEK  
MEDICAL ADVICE.

===== Fire Fighting Meas

ures =====

Flash Point Method:COC

Flash Point:>460F,>238C

Lower Limits:0.6

Upper Limits:7.0

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL. WATER OR FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE  
HAZARDOUS DECOMPOSITION PRODUCTS  
AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCES OF HEAT/IGNITION,PROVIDE  
ADEQUATE VENTILATION,CONTAIN LEAK.ABSORB SMALL SPILLS WITH  
RAGS,STRAW OR SAND.CONTAIN LARGE SPILLS IN EARTHEN DIKES FOR LATER  
RECOVERY.REPORT SPILLS AS REQUIRED TO APPROPRIATE AUTHORITIES  
(800-424-8802).

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE-STORE IN COOL PLACE.K  
KEEP AWAY

FROM HEAT,FLAME & STRONG OXIDANTS.

Other Precautions:EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUE WHICH  
COULD INCLUDE FLAMMABLE OR EXPLOSIVE VAPORS. CONSULT APPROPRIATE  
FEDERAL,STATE & LOCAL AUTHORITIES BEFORE  
REUSING,RECONDITIONING,RECLAIMING,RECYCLING /DISPOSING OF EMPTY  
CONTAINERS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NON REQUIRED UNDER NORMAL CONDITIONS. IF HIGH  
VAPOR OR MIST CONCENTRATIONS EXPECTED, USE  
RESPIRATOR APPROVED FOR  
ORGANIC VAPORS AND MISTS.

Ventilation:MECHANICAL VENTILATION.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL SPLASH GOGGLES/SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.  
INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR  
FOOTWEAR.

Supplemental Safety and Health  
DO NOT BREATHE VAPORS OR MIS

TS. MINIMIZE SKIN CONTACT. AVOID EYE CONTACT.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres: