View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-269-7698

Product ID:1012 PHOTORECEPTOR MSDS Date:09/10/1990 FSC:6850 NIIN:01-269-7698 MSDS Number: BLXKR === Responsible Party === **Company Name:XEROX CORPORATION** Address:100 CLINTON AVE SOUTH City:ROCHESTER State:NY ZIP:14644-1877 Country:US Info Phone Num:800-828-6571 Emergency Phone Num:716-422-2177 (72)/FAX 716-422-6449 CAGE:26921 === Contractor Identification === Company Name: XEROX CORPORATION Address:100 CLINTON AVE SOUTH Box:City:ROCHESTER State:NY ZIP:14644-1877 Country:US Phone:800-828-6571/716-422-2177 CAGE:26921

Ingred Name:POLYCARBONATE RESIN Fraction by Wt: > 40% Other REC Limits:NONE SPECIFIED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

Ingred Name:CARBAZOLE DIPHENYLHYDRAZONE Fraction by Wt: < 30% Other REC Limits:NONE SPECIFIED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

Ingred Name:HYDRAZONE DERIVATIVE Fraction by Wt: < 10% Other REC Limits:NONE SPECIFIED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

Ingred Name:DI-T-BUTYL HYDROXYTOLUENE Fraction by Wt: < 10% Other REC Limits:NONE SPECIFIED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

Ingred Name:AROMATIC AMINE Fraction by Wt: < 10% Other REC Limits:NONE SPECIFIED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

==

LD50 LC50 Mixture:ORAL LD50 (RAT) IS > 5000 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYES/SKIN/INHALATION/INGESTION: NOT AN IRRITANT. CHRONIC- NONE KNOWN. Effects of Overexposure:NONE Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE.

======= First Aid Meas

First Aid:EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE FROM EXPOSURE. INGESTION: NOT APPLICABLE.

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Exp

losion Hazard:EXPOSURE TO HIGH TEMPERATURES CAN RESULT IN MELTING AND PYROLYSIS. FUMES MAY CAUSE RESPIRATORY SYMPTOMS. DELAYED EFFECTS MAY OCCUR TO 72 HOURS.
======================================
Spill Release Procedures:NONE
======================================
Handling and Storage Precautions:STORAGE- UNDER NO CIRCUMSTANCES SHOULD PUMICING COMPOUNDS OR MECHANICAL ABRASION BE USED ON THIS PHOTORECEPTOR. Other Preca
utions: AVOID EXPOSURE TO HIGH TEMPERATURES. AVOID PROLONGED INHALATION OF EXCESSIVE DUST. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING.
======================================
Respiratory Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT. Ventilation:GOOD GENERAL VENTILATION Protective Gloves:NONE NORMALLY REQUIRED. Eye Protection:NONE NORMALLY REQUIRED. Other Protective Equipment:NONE NORMALLY REQUIRED. Work Hygienic Prac tices:EYEWASH FOUNTAIN. Supplemental Safety and Health FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE P/N A UNDER THE SAME NSN.
======================================
HCC:N1 Solubility in Water:INSOLUBLE Appearance and Odor:SOLID - ODORLESS
======================================
Stability Indicator/Materials to Avoid:YES ORGANIC SOLVENTS Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES

Hazardous Decomposition Products:NONE

==

Waste Disposal Methods:CASUAL DISPOSAL LEADING TO INCINERATION OR REGULAR LANDFILL ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all I

iability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.