

FENWAL, INC. -- 39-80055-044, PART A -- 8040-00-776-9603

=====  
Product Identification  
=====

Product ID:39-80055-044, PART A

MSDS Date:05/01/1985

FSC:8040

NIIN:00-776-9603

Kit Part:Y

MSDS Number: BLYZF

=== Responsible Party ===

Company Name:FENWAL, INC.

Address:400 MAIN ST

City:ASHLAND

State:MA

ZIP:01721

Country:US

Info Phone Num:617-881-2000

Emergency Phone Num:617-881-2000

CAGE:0KD97

=== Contrac

tor Identification ===

Company Name:FENWAL, INC.

Address:400 MAIN ST.

Box:City:ASHLAND

State:MA

ZIP:01721

Country:US

Phone:508-881-2000

CAGE:0KD97

Company Name:FENWAY SAFETY SYSTEMS INC

Address:700 NICKERSON RD

Box:City:MARLBOROUGH

State:MA

ZIP:01752

Country:US

CAGE:73168

=====  
Composition/Information on Ingredients  
=====

Ingred Name:EPICHLOROHYDRIN

CAS:106-89-8

RTECS #:TX4900000

Fraction by Wt: .0013%

Other REC Limits:NONE SPECIFIED

OSHA PEL:S, 5 PPM

ACGIH TLV:S, 2 PPM; 9293

EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

Ingred Name:N-BUTYLGLYCIDYL ETHER  
CAS:2426-08-6  
RTECS #:TX4200000  
Fraction by Wt: 11%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:50 PPM  
ACGIH TLV:25 PPM; 9293

=====  
===== Hazards Identification =====  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Effects of Overexposure:MODERATELY IRRITATING TO SKIN AND EYES. A SKIN  
SENSITIZER. MAY PRODUCE ALLERGIC RESPONSES.

=====  
===== First Aid Measures =====  
=====

First Aid:GET MED ATTEN IMMED. EYE: FLUSH W/WATER 15 MIN. INHALE:  
REMOVE TO FRESH AIR. GIVE OXYGEN/ARTIF RSPRTN IF NEEDED. SKIN: WASH  
W/SOAP/WATER. REMOVE CONTAMINATED CLOTHING/CLEAN BEFORE REUSE. DO  
NOT REUSE LEATHER ARTICLES. IF IRRITATE PERSISTS,GET MED ATTEN.  
INGEST: NO LIQUIDS IF VICTIM IS UNCONSCIOUS OR VERY DROWSY,  
OTHERWISE GIVE NO MORE THAN 2 GLASSES OF WTR/INDUCE VOMITING  
KEEPING HEAD BELOW HIPS.

=====  
===== Fire Fighting Measures =====  
=====

Flash Point Method:SCC  
Flash Point:164F,73C  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.  
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:WEAR APPROPRIATE PEOTECTIVE CLOTHING AND  
RESPIRATOR. SCOOP UP EXCESS AND REMOVE. RESIDUAL CAN BE REMOVED  
WITH NONFLAMMABLE SOLVENT. INCINERATE IN ACCORDANCE WITH L

OCAL

POLLUTION REGULATIONS AND ORDINANCES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR  
Ventilation:LOCAL AND MECHANICAL EXHAUST  
Protective Gloves:IMPERVIOUS GLOVES  
Eye Protection:SPLASH PROOF GOGGLES  
Other Protective Equipment:SAFETY SHOWER AND EYE WASH FACILITIES.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity:0.64  
Solubility in Water:  
NEGLIGIBLE  
Appearance and Odor:MAROON PASTE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS AND STRONG LEWIS OR MINERAL ACIDS.  
Stability Condition to Avoid:STORAGE AT ELEVATED TEMPERATURES OVER LONG  
PERIODS OF TIME.  
Hazardous Decomposition Products:CARBON MONOXIDE, ALDEHYDES, ACIDS,  
HYDROGEN CHLORIDE.  
Conditions to Avoid Polymerization:EXCESSIVE EXOTHERMS WHEN CURED.

Disclaimer (provided with this  
information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.