View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-316-9420

SHERWIN INC -- DUBL-CHEK PENETRANT DP40 BULK -- 6850-01-316-9420

Product ID: DUBL-CHEK PENETRANT DP40 BULK MSDS Date:07/01/1988 FSC:6850 NIIN:01-316-9420 MSDS Number: BMBYY === Responsible Party === Company Name:SHERWIN INC Address:5530 BORWICK AVE **City:SOUTH GATE** State:CA ZIP:90280 Country:US Info Phone Num:213-861-6324 Emergency Phone Num:213-861-6324;800-424 -9300(CHEMTREC) CAGE:21405 === Contractor Identification === Company Name: SHERWIN INC. Address:5530 BORWICK AVE. **City:SOUTH GATE** State:CA ZIP:90280-7402 Country:US Phone:562-861-6324/FAX 923-8370 CAGE:21405

Ingred Name:DIALKYLPHTHALATE OF C*9; (MIXED ESTERS, PHTHALATE) CAS:39393-37-8

Ingred Name:DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE; (ALIPHATIC OIL REFINED). PEL & TLV AS MINERAL OIL MIST. CAS:64742-46-7 RTECS #:JN 9379645 OSHA PEL:5 MG/M3 ACGIH TLV:5MG/M3;10MG/M3 STEL

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NOT KNOWN. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:EYES: SEVERE IRRITATION. SKIN: IRRITATION. INHAL: LIGHT HEADEDNESS. Medical Cond Aggravated by Expo sure:UNKNOWN.

First Aid:EYES: FLUSH W/WATER FOR A MINIMUM OF 15 MINUTES. SKIN: WASH, REMOVE CONTAMINATED CLOTHING. INHAL: FRESH AIR. INGEST: DO NOT INDUCE VOMITING. EYES & INGESTION - MEDICAL ATTENTION ESSENTIAL.

Flash Point Method:SCC Flash Point:200F,93C Extinguishing Media:CO*2, FOAM, DRY CHEMICAL. Fire Fighting Procedures:DO NOT USE DIRECT STRE AM OF WATER; IT SPREADS THE FIRE. PRODUCT MAY FLOAT & REIGNITE ON SURFACE OF WATER. WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP . Unusual Fire/Explosion Hazard:ON BURNING, THIS PRODUCT CAN RELEASE TOXIC FUMES & VAPORS.

Spill Release Procedures:EXTINGUISH ALL FLAMES. MAKE DIKE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Stor

age Precautions:HANDLING - DO NOT SPLASH OR CREATE MISTS OR VAPORS. STORAGE - STORE AWAY FROM HIGH TEMPERATURES & OPEN FLAMES. KEEP CONTRS CLOSED.

Other Precautions: EMPTIED CONTAINER RETAINS VAPOR AND PRODUCT RESIDUES. DO NOT CUT OR WELD ON OR NEAR THIS CONTAINER.

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR IF VAPORS OR MISTS ARE GENERATED.
Ventilation: LOCAL EXHAUST ADVISABLE.
Protective Gloves: CH
EMICAL RESISTANT GLOVES.
Eye Protection: CHEMICAL WORKERS GOGGLES .
Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices: WASH BEFORE EATING. DO NOT SMOKE.
Supplemental Safety and Health
SOL IN H*20: SLIGHTLY MISCIBLE.

HCC:V4 Boiling Pt:B.P. Text:440F,227C Spec Gravity:0.9 Solubility in Water:NOT SOLUBLE,(SUPDAT) Appearance and Odor:RED COLOR, PETROLEUM ODOR.

========= Stability and React

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS.

Stability Condition to Avoid: OPEN FLAMES AND HAZARDS NORMALLY

INCOMPATIBLE WITH PETROLEUM OILS.

Hazardous Decomposition Products:CARBON MONOXIDE AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FOUND UPON COMBUSTION.

Waste Disposal Methods:TAKE UP W/AN ABSORBENT MATERIAL & DISPOSE OF IN COMPLIANCE WITH ALL LOCAL, STATE, AN

D FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to t heir

particular situation.