View NSN Online: https://aerobasegroup.co.il/nsn/6810-00-241-8422

FISHER SCIENTIFIC, CHEMICAL DIV. -- P220-500 POTASSIUM CHROMATE -- 6810-00-241-8422

Product ID:P220-500 POTASSIUM CHROMATE MSDS Date:03/15/1995 FSC:6810 NIIN:00-241-8422 MSDS Number: BMDNW === Responsible Party === Company Name: FISHER SCIENTIFIC, CHEMICAL DIV. Address:1 REAGENT LANE City:FAIR LAWN State:NJ ZIP:07410 Country:US Info Phone Num:201-796-7100 Emerg ency Phone Num:201-796-7100/800-424-9300(CHEMTREC) CAGE:1B464 === Contractor Identification === Company Name: FISHER SCIENTIFIC CO Address:2000 PARK LN Box:City:PITTSBURGH State:PA ZIP:15275 Country:US Phone:412-490-8586 CAGE:22527 Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV Address:1 REAGENT LANE Box:City:FAIRLAWN State:NJ ZIP:07410-2802 Country:US Phone:201-796-7100 CAGE:1B464

Ingred Name: POTASSIUM CHROMATE (SARA 31

3) (CERCLA); (CHROMIC ACID **DIPOTASSIUM SALT**) CAS:7789-00-6 RTECS #:GB2940000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED OSHA PEL:C 0.1 MG(CRO3)/M3 ACGIH TLV:0.5 MG(CR)/M3,A4; 96 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS LD50 LC50 Mixture:ORAL MOUSE LD50+180MG/KG. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:EYE:CO NTACT MAY CAUSE SEVERE IRRIT, POSSIBLE EYE BURNS. EXPO TO PARTICULATES/SOLN MAY CAUSE CONJUNCTIVITIS, ULCERATION, CORNEAL ABNORMALITIES. SKIN: SENS, ALLERGIC RX WHICH BECOMES EVIDENT UPON RE-EXPO TO MA TL.IRRIT, POSSIBLE BURNS, ESPECIALLY IF SKIN IS WET/MOIST, CAUSE DEEP PENETRATING ULCERS, DERM. INGEST: MAY CAUSE (SUPPLMENT) Explanation of Carcinogenicity: PER MSDS: CARCI: CA-CARCI AS CR VI CMPDS;IARC:GROUP 3 AS CR;NTP:KNOWN CARCI;OSHA:SELECT CARCINOGEN. Effects of Overexposure: CAUSES S EVERE EYE/SKIN BURNS.CAUSES SEVERE DIGESTIVE TRACT & RESPIRATORY TRACT BURNS.REPEATED SKIN CONTACT MAY CAUSE SENSITIZATION.REPEATED INHAL MAY CAUSE CONGESTION, COUGHING, SHORTNESS OF BREATH, POSS IBLY ALLERGIC BRONCHITIS.MAY CAUSE CANCER IN HUMANS. Medical Cond Aggravated by Exposure: TARGET ORGANS: KIDNEYS, LIVER. First Aid:EYE:FLUSH W/PLENTY OF H2O FOR @15MINS.LIFT EYELIDS.GET MED AID IMMED.SKIN:GET MED AID IM MED.FLUSH W/PLENTY OF SOAP/H2O FOR @LEAST 15MINS.REMOVE CONTAM CLOTH/SHOES.INGEST:DONT INDUCE VOMIT.CONSC/ALERT GIVE 2-4CUPFULS OF MILK/H2O.NEVER GIVE ANYTHING BY MOUTH IF UNCONSC.GET MED AID IMMED.INHAL:GET MED AID IMMED.MOVE TO FRESH AIR.NOT BREATH GIVE ART RESP; DIFF BREATH GIVE OXY.DR: TREAT SYMPT/SUPPORT

Flash Point:NONE REPORTED Autoignition Temp:Autoignition Temp Text:NONE Lower Limits:NONE REPORTD U

 pper Limits:NONE REPORTD Extinguishing Media:IN CASE OF FIRE USE WATER,DRY CHEMICAL,CHEMICAL FOAM,OR ALCOHOL-RESISTANT FOAM. Fire Fighting Procedures:AS IN ANY FIRE WEAR SCBA IN PRESSURE-DEMAND MSHA/NIOSH(APPROV/EQUIV)& FULL PROTECTIVE GEAR. Unusual Fire/Explosion Hazard:DANGER!CORROSIVE.STRONG OXIDIZER.CONTACT W/COMBUSTIBLE MATLS MAY CAUSE FIRE.
======================================
Spill Release Procedures:USE PPE.ABSORB W/INERT MATL(DRY SAND,EAR
TH)THEN PLACE INTO CHEM WASTE CNTNR. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:USE W/ADEQU VENTI.AVOID CONTACT W/CLOTH/OTHER COMBUST MATL.DONT GET ON SKIN/EYES.DONT INGEST/INHAL.DONT STORE NEAR COMBUST MATL.STORE IN COOL DRY PLAC Other Precautions:KEEP AWAY FROM REDUCING AGENTS.KEEP CNTNRS TIGHTLY CLSD.
======================================
R espiratory Protection:FOLLOW OSHA RESPIRATOR REGS FOUND IN 29CFR1910.134.ALWAYS USE NIOSH-APPROVED RESPIRATOR WHEN NECESSARY. Ventilation:USE ADEQUATE VENTI TO KEEP AIRBORNE CONCEN LOW. Protective Gloves:PROTECTIVE GLOVES Eye Protection:PROT EYEGLASS,CHEM SAF GOG-29CFR1910.133 Other Protective Equipment:WEAR APPROPRIATE PROT CLOTH TO MIN CONTACT W/SKIN. Work Hygienic Practices:WASH THOROUGHLY AFT HNDLG.REMOVE CONTAM CLOTH/WASH BEF REUSE.DISCARD CONTAM SHOES. Supplemental Safety and H ealth PH:>7 IN SOLN. HEALTH:LIVER/KIDNEY DMG.MAY CAUSE SEVERE GI TRACT IRRIT W/ABD PAIN,NAU,VOMIT,DIARR.INHAL:ASTHMATIC ATTACKS DUE TO ALLERGIC SENS OF RESP TRACT.ULCERATION/PERFOR OF NASAL SEPTUM,SEV IRRIT UPPER RESP TRACT,CHEM BRONCHITIS.CHRONIC:ASTHMA,PERF OF NASAL SEPTUM,CHRONIC BRONCHITIS,LIV/KID DMG,CAN IN HUMANS.
======================================

HCC:D1 Boiling Pt:B.P. Text:N/AVAI Melt/Freeze Pt:M.P/F.P Text:1787F,975C Decomp Temp:Deco mp Text:N/AVAI Vapor Pres:NA Vapor Density:NA Spec Gravity:2.7320 pH:SUPPLE Viscosity:NA Solubility in Water:SOLUBLE Appearance and Odor:SOLID,YELLOW CRYSTALS OR POWDER,ODORLESS Percent Volatiles by Volume:NP Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS,HYDRAZINE. Stability Condition to Avoid:INCOMPATIBLE MATERIALS. Hazardous Decomposition Products:OXIDES OF POTASSIUM.

Waste Disposal Methods:DISPO OF IN MANNER CONSISTENT W/FED/STATE/LOC REGS.NOT LISTED AS MATL BANNED FROM LAND DISPO ACCORDING TO RCRA.HAZ SUBST UNDER CWA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and discl

aims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.