

SHERWIN INC -- DUBL-CHEK PENETRANTS RC29, RC50, RC65 & RC7 -- 6850-01-268-6704

=====
Product Identification
=====

Product ID:DUBL-CHEK PENETRANTS RC29, RC50, RC65 & RC7

MSDS Date:03/09/1992

FSC:6850

NIIN:01-268-6704

MSDS Number: BMQVP

=== Responsible Party ===

Company Name:SHERWIN INC

Address:5530 BORWICK AVE

City:SOUTH GATE

State:CA

ZIP:90280-7402

Country:US

Info Phone Num:213-861-6324

Emergen

cy Phone Num:213-861-6324

CAGE:21405

=== Contractor Identification ===

Company Name:SHERWIN INC.

Address:5530 BORWICK AVE.

City:SOUTH GATE

State:CA

ZIP:90280-7402

Country:US

Phone:562-861-6324/FAX 923-8370

CAGE:21405

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOCYLDIPHENYLPHOSPHATE

CAS:29761-21-5

Other REC Limits:NONE SPECIFIED

Ingred Name:MIXTURE ESTERS,PHOSPHATE/PHTHALATE

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

Ingred Name:H

YDROTREATED MIDDLE PETROLEUM DISTILLATE

CAS:64742-46-7

RTECS #:JN9379645

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: SEVERE IRRITATION OF THE EYES.
IRRITATION OF THE SKIN . INHALATION MAY CAUSE LIGHT HEADINESS.

Explanation of Carcino
genicity:NONE OF THE INGREDIENTS IN THIS PRODUCT
ARE LISTED BY NTP, IARC, OR OSHA AS A CARCINOGEN.
Effects of Overexposure:INHALED: DIZZINESS, LIGHTHEADEDNESS. EYES:
REDNESS, TEARING, BLURRED VISION, SKIN: RASH, DISCOMFORT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SEEK MEDICAL
ATTENTION PROMPTLY. SKIN: REMOVE CONTAMINATED CLOTHING AND WA
SH
SKIN WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR.
INGESTION: DO NOT INDUC E VOMITING. SEEK MEDICAL ATTENTION
PROMPTLY.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:200F,93C
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL
Fire Fighting Procedures:DO NOT USE DIRECT STREAM OF WATER; IT SPREADS
THE FIRE. PRODUCT MAY FLOAT AND REIGNITE ON SURFACE OF WATER. WEAR
SCBA AND FULL PROTECTIVE CLOTHING.

Unusu
al Fire/Explosion Hazard:ON BURNING, THIS PRODUCT CAN RELEASE
TOXIC FUMES AND VAPORS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:EXTINGUISH ALL FLAMES AND IGNITION SOURCES.
CONTAIN SPILL. DO NOT ALLOW TO DRAIN INTO SEWERS/WATER SUPPLIES.
ABSORB PRODUCT WITH AN INERT ABSORBENT AND PLACE IN A CONTAINER FOR
LATER DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

=====

Handling and Storage Precautions:DO NOT SPLASH OR CREATE MISTS OR VAPORS. STORE IN A COOL, DRY, WELL-VENTILATED AREA. PROTECT FROM HEAT, IGNITION SOURCES, AND INCOMPATIBLE MATERIALS.

Other Precautions:EMPTIED CONTAINERS RETAIN VAPOR AND PRODUCT RESIDUES. DO NOT CUT OR WELD ON OR NEAR THIS CONTAINER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR OR SUPPLIED AIR

RESPIRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134.

Ventilation:LOCAL EXHAUST RECOMMENDED. MECHANICAL (GENERAL) VENTILATION USUALLY NOT REQUIRED.

Protective Gloves:NITRILE

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE FROM PROLONGED OR REPEATED CONTACT. EYE BATH AND SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

DO NOT SMOKE NEAR PRODUCT.

Supplemental Safety and Health

USE CAUTION WHEN HANDLING.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:440F,227C

Spec Gravity:0.90 (WATER=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:YELLOW, GREEN LIQUID; PETROLEUM ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES,

AND OTHER SOURCES

OF IGNITION. CONTACT WITH STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: CARBON MONOXIDE AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods: DISCARD ANY PRODUCT (INCLUDING ANY RETAINED MATERIALS OF USE), DISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.