

TBA INDUSTRIAL PRODUCTS LTD -- TBA 410 -- 5330-00-299-1163

===== Product Identification =====

Product ID:TBA 410  
MSDS Date:01/01/1991  
FSC:5330  
NIIN:00-299-1163  
MSDS Number: BMSMG  
=== Responsible Party ===  
Company Name:TBA INDUSTRIAL PRODUCTS LTD  
Address:SEALING MATERIALS DIV  
Box:40  
City:ROCHDALE LANCS  
Country:EN  
Info Phone Num:800-527-1935  
Emergency Phone Num:800-527-1935  
CAGE:U1309  
=== Contrac  
tor Identification ===  
Company Name:R-WAY GASKET AND SUPPLY CO  
Address:1950 E SEDGLEY AVE  
Box:City:PHILADELPHIA  
State:PA  
ZIP:19124-5622  
Country:US  
Phone:215-697-6350/215-743-1650  
CAGE:5S153  
Company Name:TBA INDUSTRIAL PRODUCTS  
Box:21  
City:ROCHDALE,LANCS,ENGLAND  
Country:EN  
Phone:800-527-1935  
CAGE:U1309

===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS, CHRYSOTILE  
CAS:12001-29-5  
RTECS #:CI6478500  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:0.2 FIBERS/CC  
ACGIH

TLV:2 FIBERS/CC; A1;9192

Ingred Name:INERT FILLERS  
Other REC Limits:NONE SPECIFIED

Ingred Name:BINDERS, RUBBER (SYNTHETIC)  
Other REC Limits:NONE SPECIFIED

Ingred Name:CURING AGENTS  
Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:BREATHING DUST CAN CAUSE CANCER AND LUNG DISEASE.

Explanation  
of Carcinogenicity:THIS MATERIAL CONTAINS ASBESTOS.  
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:RESPIRATORY AND PULMONARY DISORDERS CAN BE AGGRAVATED BY EXPOSURE.

=====  
First Aid Measures  
=====

First Aid:NONE SPECIFIED BY MANUFACTURER.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:USE WATER AND FOAM AS EXTINGUISHING AGENTS.  
Fire Fighting Procedures:AVOID BREATHING FUMES.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WET METHODS SHOULD BE USED FOR EXTRACTION OF DUST AND DEBRIS. HIGH EFFECIENCY PARTICULATE APPARATUS VACS SHOULD BE USED.  
Neutralizing Agent:NONE

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NONE  
Other Precautions:AVOID BREATHING DUST.

=====  
Exposure Controls/Personal Protection  
=====

=====

Respiratory Protection:USE THE APPROPRIATE DUST RESPIRATOR TO PREVENT INHALATION OF HAZARDOUS MATERIALS.

Ventilation:LOCAL AND MECHANICAL EXHAUST VENTILATION.

Protective Gloves:AS NEEDED

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE

Work Hygienic Practices:WASH HANDS AFTER HANDLING THIS MATERIAL.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK  
SHEET MATERIAL WITH A SLIGHT RUBBERY SMELL.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:MATERIAL MAY BURN WITH DIFFICULTY AND IN SUCH CIRCUMSTANCES EMIT TOXIC RUBBER COMBUSTION PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods:WASTE SHOULD BE CONTAINED IN IMPERMEABLE BAGS, LABELED AND DISPOSED IN ACCORDANCE WITH LOCAL AND FEDERAL REGULATIONS FOR ASBESTOS CONTAINING PRODUCTS. WASTE IS TO BE CONTAINED IN IMPERMEABLE BAGS AND LABELED.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

t should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.