View NSN Online: https://aerobasegroup.co.il/nsn/6750-01-018-1532

Product ID:STABILINE 58-2188 TOUCH-UP FLUID THINNER MSDS Date:04/17/1991 FSC:6750 NIIN:01-018-1532 MSDS Number: BMSQG === Responsible Party === Company Name: KEUFFEL AND ESSER CO. Address:FORD ROAD City:ROCKAWAY State:NJ ZIP:07866 Country:US Info Phone Num:201-625-9005 Emergen cy Phone Num:201-625-9005 CAGE:GO787 === Contractor Identification === Company Name: AZON CORPORATION Address:720 AZON DRIVE Box:290 **City: JOHNSON CITY** State:NY ZIP:13790-1725 Country:US Phone:607-797-2368 CAGE:02785 Company Name: KAUFFEL & ESSER CO Address:FORD ROAD Box:City:ROCKAWAY State:NJ ZIP:07866 Country:US CAGE:74067 Company Name: KEUFFEL AND ESSER COMPANY CAGE:GO787

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN) CAS:8 030-30-6 RTECS #:DE3030000 Fraction by Wt: 20-30% Other REC Limits:NONE SPECIFIED OSHA PEL:100 PPM ACGIH TLV:300 PPM

Ingred Name:TOLUENE (SARA III) CAS:108-88-3 RTECS #:XS5250000 Fraction by Wt: 20-30% Other REC Limits:NONE SPECIFIED OSHA PEL:200 PPM/150 STEL ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III) CAS:1330-20-7 RTECS #:ZE2100000 Fraction by Wt: 40-50% Other REC Limits:NONE SPECIFIED OSHA PEL:100 PPM/150 STEL ACGIH TLV :100 PPM/150STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: SEVERE EYE IRRITANT. CONTACT MAY CAUSE SKIN DRYING AND DEFFATING. INHALATION MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS. ASPIRATION INTO LUNGS AFTER INGESTION MAY LEAD TO PNEUMONITIS. CHRONIC: NO NE NOTED.

xplanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYES/SKIN: IRRITATION, DRY CRACKED SKIN. INHALATION: DIZZINESS, DROWSINESS, HEADACHE, NAUSEA. INGESTION: VOMITING.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH A HISTORY OF SKIN AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:EYES:FLUS

H WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.IF IRRITATION PERSISTS, SEE DOCTOR. SKIN:WASH WITH MILD SOAP AND WATER WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. INHALATION:REMOVE VICTIM T O FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.SEE DOCTOR. INGESTION:DO NOT INDUCE VOMIT.SEE DOCTOR IMMEDIATELY.

Flash Point Method:TCC Flash Point:62.6F,17.0C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CH

EMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures: REMOVE PERSONNEL. ELIMINATE IGNITION SOURCES. VENTILATE AREA. WEAR PROTECTIVE CLOTHING AND EQUIPMENT.

ABSORB IN INERT MATERIAL AND PLACE IN APPROPIATE DISPOSAL CONTAINER AND COVER.USE NON-SPARKING TOOLS. Neutralizing Agent:NOT APPLICABLE.

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED
 AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES AND
 INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED.
 Other Precautions:AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.

Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED RESPIRATOR OR SCBA AS APPROPIATE FOR EXPOSURE OF CONCERN.
Ventilation:MECHANICAL (GENERAL) VENTILATION OR LOCAL EXHAUST VENTILATION TO KEEP EXPOSURE LEVELS BELOW PEL.
Protective Gloves:RUBBER GLOVES.
Eye Protection:CHEMICAL SAFETY GOGGLES.
Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE EXPOSURE FROM PROLONGED OR REPEATED CONTACT. EYE BATH AND SAFETY SHO

WER.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health NONE.
======================================
Spec Gravity:0.815 Solubility in Water:NEGLIGIBLE Appearance and Odor:COLORLESS LIQUID, AROMATIC SOLVENT ODOR.
======================================
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability
Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, INCOMPLETELY BURNED CARBON PRODUCTS.
======================================
Waste Disposal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER. DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulat ed for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their
particular situation.