View NSN Online: https://aerobasegroup.co.il/nsn/1430-00-907-4837

Product ID: APO379 PART B = HDO123 MSDS Date:03/18/1986 FSC:1430 NIIN:00-907-4837 MSDS Number: BMSXX === Responsible Party === Company Name: UNION CAMP CORP Address:2051 N LANE AVE Box:60369 City: JACKSONVILLE State:FL ZIP:32236 Country:US Info Phone Num:904-387-6571 Emergency Phone Num:904-387-6571 CA GE:3E457 === Contractor Identification === Company Name: DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV Address:211 FRANKLIN ST. Box:City:OLEAN State:NY ZIP:14760-1297 Country:US Phone:716-372-6300/6309 CAGE:04347 Company Name: UNION CAMP CORP Address:2051 N LANE AVE Box:60369 City: JACKSONVILLE State:FL ZIP:32236 Country:US Phone:904-387-6571 CAGE:3E457

Ingred Name:NON HAZARDOUS INGREDIENT Fraction by Wt: 100% Other REC Limits: Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: BREATHING VAPORS MAY BE SLIGHTLY IRRITATING. PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexp osure: CONTACT WITH SKIN AND EYES MAY CAUSE BURNS. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid: FLUSH SKIN AND EYE CONTACT WITH CLEAR WATER. GET MEDICAL CARES FOR EYES, REMOVE CONTAMINATED CLOTHING, IF INHALED REMOVE FROM TO FRESH AIR. THIS MATERIAL IS A SENSITIZER. IF ALLERGIC MANIFESTATIONS OC CURS, CONSULT A PHYSICIAN. ======= Flash Point Method:COC Flash Point:420F,216C Extinguishing Media: CARBON DIOXIDE, OR DRY CHEMICAL FOR SMALL FIRES. PLOYMER OR ALCOHOL FOR LARGE FIRES. Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER. **Unusual Fire/Explosion Hazard:NONE** Spill Release Procedures: FLUSH AWAY WITH LARGE VOLUMES OF WATER. Handling and Storage Precautions:NONE S PECIFIED BY MANUFACTURER. Other Precautions:NONE Respiratory Protection: AIR SUPPLIED RESPIRATOR OR CHEMICAL CARTRIDGE **RESPIRATOR.** Ventilation:LOCAL EXHAUST DESIRED. MECHANICAL(GENERAL) EXHAUST ACCEPTABLE. Protective Gloves: IMPERVIOUS GLOVES Eye Protection: FACE SHIELD Other Protective Equipment: IMPERVIOUS APRONS. EMERGENCY EYE WASH AND SAFETY SHOWER. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING AND BEFORE

EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health

HCC:N1 Boiling Pt:B.P. Text:>500F,>260C Vapor Pres: