

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR 1223 B PART B -- 8030-00-151-9968

===== Product Identification =====

Product ID:PR 1223 B PART B

MSDS Date:06/26/1990

FSC:8030

NIIN:00-151-9968

MSDS Number: BMWQJ

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-

2060

Emergency Phone Num:818-240-2060

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

===== Composition/Information on Ingredients =====

Ingred Name:PH

ENOL FORMALDEHYDE RESIN
CAS:9003-35-4
Fraction by Wt: 5%
Other REC Limits:NONE SPECIFIED

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: < 5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES;IRRITATION. SKIN; LOCAL
IRRITATION,SKIN RASH IN HIGHLY SENSITIZED PERSONS. INHALATION;
IRRITATION TO NOSE AND THROAT, PROLONG EXPOSURE TO EXCESS TLVS MAY
CAUSE HEADACHE,FATIGUE, CONFUSION,DIZZINE SS,DROWINESS NUMBNESS AND
UNCONSCIOUSNESS,POSSIBLE LIVER AND KIDNEY DAMAGE.
INGESTION,NAUSEA,VOMITING,LIVER/KIDNEY DAMAG
Effects of Overexposure:NONE
Medical Cond Aggravated by Exposure:NONE GIVEN

===== First Aid Measures =====

First Aid:EYES;IMMEDIATE FLUSH WITH WATER, IF IRRITATION PERSIST
CONSULT A PHYSCIAN. SKIN;WASH THOROUGHLY WITH SOAP AND WATER.
INHALATION;REMOVE TO FRESH AIR, IF SYMPTOMS ARE PRESENT CONSULT A
PHYSCIAN. INGESTIO N;CONSULT A PHYSCIAN.

===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:>200F,>93C
Lower Limits:1
Upper Limits:7
Extinguishing Media:CO2 DRY CHEMICAL, FOAM,WATER FOG
Fire Fighting Procedures:USE SCBA
Unusual Fire/Explosio

n Hazard:NONEIZER

===== Accidental Release Measures =====

Spill Release Procedures:SCCOP UP SPILLED MATERIAL.CLEAN REDIDUE WITH
1.1.1 TRICHLOROETHANE
Neutralizing Agent:NA

===== Handling and Storage =====

Handling and Storage Precautions:WASH THOROUGHLY AFTER USING THIS
PRODUCT CONTAINS A ITEM SUBJECT TO SECTION 313 OF SARA.
Other Precautions:NA

===== Exposure Controls/Personal Protection =====

Respirat
ory Protection:NA
Ventilation:LOCAL
Protective Gloves:SOLVENT RESENT GLOVES
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:NA
Work Hygienic Practices:PRUDENT WASH HANDS AFTER USE AND BEFORE EATING
OR SMOKING.
Supplemental Safety and Health
AVOID INGESTION.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:NA
Vapor Pres:NA
Vapor Density:3.2
Spec Gravity:0.97
Evaporation Rate & Reference:2
Solubility in Water:UNK
Appearance and Od
or:UNK

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
UNK
Stability Condition to Avoid:UNK
Hazardous Decomposition Products:OXIDES OFCARBON, SO2,TRACES OF H2S

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH LOCAL STATE AND FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elemen

ts of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.