View NSN Online: https://aerobasegroup.co.il/nsn/3439-00-184-8960

GARDINER METAL CO -- 187 TIN LEAD ANTIMONY ALLOY AC-600 CORE -- 3439-00-184-8960

Product ID:187 TIN LEAD ANTIMONY ALLOY AC-600 CORE

MSDS Date:05/01/1990

FSC:3439

NIIN:00-184-8960

MSDS Number: BNKKG === Responsible Party ===

Company Name: GARDINER METAL CO Address: 4820 SOUTH CAMPBELL AVE

City:CHICAGO

State:IL

ZIP:60632-1416 Country:US

Info Phone Num:(312) 847-01

00

Emergency Phone Num: (312) 847-0100

CAGE:73766

=== Contractor Identification ===

Company Name: GARDINER METAL CO Address: 4820 SOUTH CAMPBELL AVENUE

City:CHICAGO

State:IL ZIP:60632 Country:US

Phone:312-847-0100, 800-424-9300

CAGE:73766

Company Name: GARDINER SOLDER COMPANY DIV GARDINER METAL CO

Address: 4820 S CAMPBELL AVE

Box:City:CHICAGO

State:IL

I

ZIP:60632-1494

Country:US

Phone:312-847-0100 CHEMTREC AFTER HOURS

CAGE:84311

======= Composition/Information on Ingredients ========

ngred Name:LEAD, INORGANIC LEAD (SUSPECTED HUMAN CARCINOGEN BY IARC, NTP & ACGIH)

CAS:7439-92-1

RTECS #:OF7525000 Fraction by Wt: 5-94.3% OSHA PEL:0.05 MG/CUM ACGIH TLV:0.15 MG/CUM

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: ANTIMONY

CAS:7440-36-0

RTECS #:CC4025000 Fraction by Wt: 0.2-2.2% OSHA PEL:0.5 MG/CUM ACGIH TLV:0.5 MG/CUM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:TIN (AS SN)

CAS:7440-31-5

RTECS #:XP7320000 Fraction by Wt: 5-94.3% OSHA PEL:2.0 MG/CUM ACGIH TLV:2.0 MG/C

UM

Ingred Name:ZINC CHLORIDE

CAS:7646-85-7

RTECS #:ZH1400000 Fraction by Wt: 0.5-3%

OSHA PEL:1 MG/M3/2 STEL

ACGIH TLV:1 MG/M3/2STEL FUME93

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

============ Hazards Identification =========================

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:INGESTION: METALLIC TASTE. INHALATION:

RESPIRATORY TRACT IRRITATION.

Explanation of Carcinogenici

ty:LEAD IS A SUSPECTED HUMAN CARCINOGEN BY ACGIH.
Effects of Overexposure:INGESTION: METALLIC TASTE. INHALATION: RESPIRATORY TRACT IRRITATION.
Medical Cond Aggravated by Exposure:RESPIRATORY & LUNG CONDITIONS
======================================
First Aid:SKIN: FLUSH W/WATER. TREAT FOR BURNS. EYES: FLUSH W/WATER. INGESTION: DRINK LARGE AMOUNTS OF WATER. NEVER GIVE LIQUIDS TO AN UNCONSCIOUS PERSON. INHALATION: REMOVE TO FRESH AIR. SUPPORT RESP
IRATION I F REQUIRED. OBTAIN MEDICAL ATTENTION INALL CASES.
======================================
Flash Point:NONE Extinguishing Media:DRY CHEMICAL. DON'T USE WATER. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS >1627F.
======== Accidental Release Measures =========
Spill Release Procedures:COLLECT FOR REUSE, IF CONTAMINATED OR IN SMALL PARTICLES, VACUUM OR COLLECT MATERIAL. NEVER USE ANY METHOD WHICH WILL GEN ERATE DUST.
======================================
Other Precautions: AVOID CONTACT W/FUMES & DUST.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:0.03 MG/CUM: HALF MASK, 2.5 MG/CUM: FULL FACE MASK, 50 MG/CUM: SELF-SUSTAINED RESPIRATORY SUIT. Ventilation:LOCAL EXHAUST: PREFERRED. MECHANICAL MAY BE USED. SPECIAL HIGH EFFECIENCY PARTICULATE ARRESTING (HEPA) FILTERS REQUIRED Protective Gloves:HEAT RESISTANT Eye Prot

ection: GOGGLES OR FACE SHIELD Work Hygienic Practices: WASH AFTER USE. FOLLOW GOOD INDUSTRIAL HYGIENIC PRACTICES. Supplemental Safety and Health ======== Physical/Chemical Properties =========== Boiling Pt:B.P. Text:2516F Melt/Freeze Pt:M.P/F.P Text:361F Vapor Pres:1 Solubility in Water: INSOLUBLE Appearance and Odor: SILVER GREY SOLID, ODORLESS ======== Stability and Reactivity Data ============ Stability Indicator/Materials to Avoid:YES **OXIDIZING MATERIA** LS Hazardous Decomposition Products: TOXIC METAL FUMES AT TEMPS. >1627F ======= Disposal Considerations ===========

Waste Disposal Methods: NEVER DISPOSE OF IN TRASH. HOLD FOR RECYCLING OR DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, express

ly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.