View NSN Online: https://aerobasegroup.co.il/nsn/6520-01-271-5676

MINNESOTA MINING & MFG CO HEALTH CARE PRODUCTS DIV -- 7423&7523 SCOTCHBOND

ETCHING GEL & SCOTCHBO -- 6520-01-271-5676

======== Product Identification ===========

Product ID:7423&7523 SCOTCHBOND ETCHING GEL & SCOTCHBO

MSDS Date:06/12/1992

FSC:6520

NIIN:01-271-5676

Kit Part:Y

MSDS Number: BNNJY === Responsible Party ===

Company Name: MINNESOTA MINING & MFG CO HEALTH CARE PRODUCTS DIV

Address:3M CTR BLDG 22

5-5S-01

City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-0131/612-733-1110

Emergency Phone Num:612-733-0131/612-733-1110

CAGE:28156

=== Contractor Identification ===

Company Name: MINNESOTA MINING AND MFG CO HEALTH CARE SERVICES DIV

Address:3M CTR BLDG 275-4E-01

Box:City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-854-0631

CAGE:28156

======= Composition/Information on Ingredients =========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by W t: 54 - 62%

Other REC Limits: NONE SPECIFIED

Ingred Name:PHOSPHORIC ACID (SARA III)

CAS:7664-38-2

RTECS #:TB6300000 Fraction by Wt: 34 - 38%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1 MG/M3/3 STEL

ACGIH TLV:1 MG/M3/3 STEL; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: SILICA GEL/AMORPHOUS SILICA

CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 4 - 8%

Other REC Limits: NONE SPECIFIED

YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-EYE:REDNESS,CHEMICAL
BURNS,ULCER,PAIN,TEARING,SWELLING,IMPAIRED
VISION.SKIN:REDNESS,SWELLING,DRYNESS,BLISTERING,ITCHING &
PAIN.INHALED:IRRITATION,COUGHING,WHEEZING,TIGHTNESS IN
CHEST, CONGESTION & COUGHING UP BLOOD. ORAL: DAMAGE TO GI
TISSUES, VOMITING, ABDOMINAL PAIN, BLOODY VOMITUS &
FECES.CHRONIC-SEVERE IRRITATION.
Effects of Overexposure:EYE CONTACT CAN C
AUSE REDNESS, CHEMICAL BURNS,
ULCER, PAIN, TEARING, SWELLING, IMPAIRED VISION. SKIN CONTACT
CAUSES REDNESS, SWELLING, DRYNESS, BLISTERING, ITCHING & PAIN.
INHALATION CAUSE IRRITATION, COUGHING, WHEEZING, TIGHTNESS IN
CHEST, CONGESTION & COUGHING UP BLOOD. IF INGESTED CAN CAUSE
VOMITING, ABDOMINAL PAIN.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE
MORE SUSCEPTIBLE TO THIS MATERIAL.
======================================
==
First Aid:GET MEDICAL ATTENTION.EYE/SKIN:FLUSH WITH WATER FOR 15
MINUTES.HOLD EYELIDS OPEN.INHALED:REMOVE TO FRESH AIR.PROVIDE
OXYGEN/CPR IF NEEDED.ORAL:DRINK TWO GLASSES OF WATER.SEEK MEDICAL
ATTENTION.
ATTENTION.
ATTENTION. ===================================

KEEP AWAY FROM STRONG BASES.
Other Precautions:AVOID CONTACT WITH EYES AND SKIN. AVOID BREATHING MIST. WASH THOROUGHLY AFTER HANDLING MATERIAL. KEEP AWAY FROM REACH OF CHILDREN.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NON REQUIRED UNDER NORMAL CONDITIONS. IF HIGH VAPOR OR MIST CONCENTRATIONS EXPECTED, USE NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS AND MISTS. WEAR SUPPLIED-AIR RESPIRATOR PROTECTION IN CONFINED OR ENCLOSED SPACES, IF NEEDED.
Ventilation: GOOD GENERAL VENTILATION.
Protective Gloves:RUBBER
Eye Protection:SPLASH-PROOF GOGGLES/FACE SHIELD Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING
Work Hygienic Practices:WASH HANDS BEFORE EATING OR DRINKING. DO NOT DIGEST.
Supplemental Safety and Health THIS PRODUCT IS A KIT OR A MULTIPART WHICH CONSISTS OF MULTIPLE, INDEPENDENTLY PACKAGED COMPONENTS. THE DOCUMENT NUMBERS FOR THE PRODU
CTS ARE 10-7863-3 (PIN A), 11-1273-9 (PIN B), 11-1274-7 (PIN C) AN D 10-4782-8 (PIN D) SAME NSN.
========= Physical/Chemical Properties =========
HCC:C2 Spec Gravity:1.28 pH:1.0
Solubility in Water:INFINITE Appearance and Odor:BLUE GEL
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ALKALIS Stability Condition to Avoid:FIRE
Hazardous Decomposition Products:NONE ==================================

ROOM TEMPERATURE.

erations =========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. FLUSH SPENT SOLUTIONS AND SMALL QUANTITIES (LESS THAN 5 GAL./19L) TO A WASTEWATER TREATMENT SYSTEM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.